

Royo Machinery USA, LLC

PO Box 565931

Miami, FL 33256

Tel: +1(786)713-0996

W: www.royomachinery.com

Equipment Sales:

sales@royomachinery.com

Parts Sales:


parts@royomachinery.com



ROYO MACHINERY

Creasing & Die Cutting Machine

ML2500/2600/2800/3000 CREASING & DIE CUTTING MACHINE



Model	Inner Chase Size	speed	Max.Rule Length	Motor Power	Machine Weight	Packing(overall) Dimensions
PYQ401C	750x520mm	25	<15m	2.2kw	2000kg	1650x1400x1500mm
PYQ203C	930x670mm	23±3	<25m	4kw	3000kg	1750x1900x1700mm
PYQ203A	930x670mm	23±3	<30m	5.5kw	3500kg	1850x1950x1700mm
PYQ203AQ	930x670mm	23±3	<30m	5.5kw	3500kg	1850x1950x1700mm
ML1040	1040x720mm	23±3	<28m	4kw	3500kg	2000x2010x1900mm
ML1100A	1100x800mm	22±2	<35m	7.5kw	5000kg	2000x2010x1900mm
ML1100	1100x800mm	20±2	<30m	5.5kw	4500kg	2020x2010x1900mm
ML1200	1200x820mm	20±2	<32m	5.5kw	5000kg	2020x2020x1950mm
ML1300	1300x920mm	15±2	<40m	7.5kw	6000kg	2600x2100x1950mm
ML1400	1400x1000mm	15±2	<45m	7.5kw	6500kg	2600x2100x1950mm
ML1500	1500x1050mm	14±2	<45m	7.5kw	7000kg	2650x2100x2000mm
ML1500G	1500x1150mm	14±2	<45m	7.5kw	7300kg	2650x2100x2050mm
ML1600	1600x1250mm	13±2	<50m	11kw	11500kg	2850x2250x2100mm
ML1800	1800x1280mm	13±2	<60m	15kw	13000kg	3150x2250x2250mm
ML1800G	1800x1400mm	13±2	<60m	15kw	14000kg	3150x2250x2300mm
ML2000	2000x1400mm	12±2	<65m	15kw	15500kg	3150x2250x2300mm
ML2200	2200x1400mm	12±2	<68m	18kw	16500kg	3300x2250x2300mm
ML2500	2500x1500mm	12±2	<70m	22kw	18500kg	3600x2250x2500mm
ML2600	2600x1500mm	12±2	<70m	22kw	20000kg	3700x2250x2500mm
ML2800	2800x1500mm	12±2	<75m	22kw	23000kg	3900x2300x2800mm
ML3000	3000x1600mm	12±2	<80m	30kw	35000kg	4200x2300x3000mm

Product Description:

It is a kind of special equipment for all assortments of common card boards,corrugated boards,plastic sheets,leather products.It is suitable for printing, packing,decorating,plastic industries etc. With the features of firm structure,exquisite making,great cutting,high precision,ease of operation,safety and reliability etc.

Main features:

It adopts high quality material and high tension of casting.
It adopts four-shaft bevel wheel structure with steady operation,great cutting, low noise.
It adopts air brake clutch with flexibility, reliability and safety.
Connecting rod adopts 45# carbon steel with high strength.
Sound and layout of its height, great angle of frame.
It adopts micro-adjusting gear device with high precision electrical system is designed according to IEC standard.
It has three functions for single slitting,successive slitting, time delay .Its scope can be adjusted.
Safety protection system is reliable
Concentrated lubricating system.



THE SERIES OF ML-Q CREASING & DIE CUTTING MACHINE (WITH HYPERBOLIC CURVE HOOP)

Major Features:

- It adopts hyperbolic curve hoop to make the pressure evener.
- It adopts high quality material and high tension of casting.
- It adopts four-shaft bevel wheel structure with steady operation, great cutting, low noise.
- It adopts air brake clutch with flexibility, reliability and safety.
- Connecting rod adopts 45# carbon steel with high strength.
- Sound and layout of its height, gear angle of frame.
- It adopts micro-adjusting gear device with high precision.
- Electrical system is designed according to IEC standard.
- It has three functions for single slitting, successive slitting, time delay, its scope can be adjusted.
- Safety protection system is reliable.
- Concentrated lubricating system.



Air brake clutch



Automatic oil pump



Micro-adjusting device



Electric box (front)



Air cylinder



The newest design of Ruiyang brand product: the series of ML-Q Creasing & Die cutting machine (with hyperbolic curve hoop).

**PYQ-203C(M L-930)
ML-1040/ML1100/ML1200
CREASING&DIE CUTTING MACHINE CE**




TYMB1300/1400/1500/1600 HOT STAMPING & CUTTING MACHINE CE



Model	Max. Platen Working Area	Max. Gilding Printing Area	Skip Order Range	Working Pressure	Foil-delivered Length	Foil-delivered Group	Working Speed	Main Motor	Overall Power	Overall Dimensions	Total Weight
TYMB1300	1300x920mm	1250x870mm	Built-in Processing With Computer	380T	870mm	3 (groups)	900Time/h	7.5kw	32kw	2500x2200x2450mm	6500kg
TYMB1400	1400x1000mm	1350x950mm		380T	950mm	3 (groups)	900Time/h	7.5kw	32kw	2600x2200x2500mm	7200kg
TYMB1500	1500x1050mm	1450x1000mm		380T	1000mm	3 (groups)	900Time/h	7.5kw	32kw	2700x2200x2600mm	8000kg
TYMB1600	1600x1250mm	1550x1200mm		380T	1200mm	3 (groups)	900Time/h	11kw	35.5kw	2800x2200x2600mm	12500kg

TYMB930/1040/1100/1200 HOT STAMPING & CUTTING MACHINE



Model	Max. Platen Working Area	Max. Gilding Printing Area	Skip Order Range	Working Pressure	Foil-delivered Length	Foil-delivered Group	Working Speed	Main Motor	Overall Power	Overall Dimensions	Total Weight
TYMB750	750x520mm	740x510mm	Built-in Processing With Computer	100T	500mm	2 (groups)	1380Time/h	2.2kw	10kw	2150x1400x1900mm	2500kg
TYMB930	930x670mm	920x660mm		170T	640mm	3 (groups)	1320Time/h	4kw	13kw	2200x2000x1950mm	3500kg
TYMB1040	1040x720mm	1020x700mm		170T	700mm	3 (groups)	1320Time/h	4kw	13kw	2230x2100x2000mm	4500kg
TYMB1100	1100x800mm	1080x780mm		220T	800mm	3 (groups)	1200Time/h	5.5kw	19kw	2250x2200x2000mm	5000kg
TYMB1200	1200x820mm	1180x800mm		220T	800mm	3 (groups)	1200Time/h	5.5kw	19kw	2250x2200x2050mm	5500kg


TYMB-750 HOT STAMPING & CUTTING MACHINE




ML-1600/1800/2000/2200 CREASING & DIE CUTTING MACHINE



ML-1300/1400/1500 CREASING & DIE CUTTING MACHINE (BASIC CE MODEL)



PYQ203C(ML930)/ML1040 ML1100/ML1200 CREASING & DIE CUTTING MACHINE (BASIC CE MODEL)




Product Description:

It is a kind of special equipment for all assortments of common card boards, corrugated boards, plastic sheets, leather products. It is suitable for printing, packing, decorating, plastic industries etc. With the features of firm structure, exquisite making, great cutting, high precision, ease of operation, safety and reliability etc.

Main features:

- It adopts high quality material and high tension of casting.
- It adopts four-shaft bevel wheel structure with steady operation, great cutting, low noise.
- Sound and layout of its height, great angle of frame.
- Electrical system is designed according to IEC standard.
- It has three functions for single slitting, successive slitting, time delay. Its scope can be adjusted.
- Safety protection system is reliable.
- Concentrated lubricating system.






PYQ-203C
M L1040/M L1100/ML1200
 CREASING & DIE CUTTING MACHINE

Product Description:
 It is a kind of special equipment for all assortments of common card boards: corrugated boards, plastic sheets, leather products. It is suitable for printing, packing, decorating, plastic industries etc. With the features of firm structure, exquisite making, great cutting, high precision, ease of operation, safety and reliability etc.


PYQ-401C(ML-750)
 CREASING & DIE CUTTING MACHINE



THE SERIES OF PYQ/ML
SPEED-ADJUSTMENT DEVICE
 CREASING & DIE CUTTING MACHINE



Speed-adjustment device



THE SERIES OF PYQ/ML
INFRA-RED LIGHT SAFETY DEVICE
 CREASING & DIE CUTTING MACHINE



Infra-red light safety device





M L-1300/1400/1500
CREASING & DIE CUTTING MACHINE

CREASING & HOT DIE CUTTING MACHINE
(HEAVY DUTY WITH HEATING SYSTEM)




Product Description:

Creasing & Heat die cutting machine (heavy duty with heating system); it is especially for cutting all varied plastic sheets PVC, PPC, leather products. This machine adopts heating temperature to cut plastic material (sharp and burr of edge solved), with best good looking effect.


M L-1600/1800/2000/2200
CREASING & DIE CUTTING MACHINE



CREASING & DIE CUTTING MACHINE
(HEAVY DUTY)



**PYQ203AQ
CREASING & DIE CUTTING MACHINE
(HEAVY DUTY)**




Product Description:

Creasing & die cutting machine (PYQ203AQ Model with heavy duty): it is especially equipment with many cutting lines for pressing and cutting different tough materials, such as corrugated board, plastic sheet.etc. The configuration of the machine adopts the drawing design of ML1400-M Flat Impressing Cutting Machine. The ductile materials of the machine is 1000kg thicker than the PYQ203C-M.

The rear cover adopts the long-connecting device.

The electric appliance and electromagnetic clutch indirectly adopt the important parts of ML1400-M machine.

**TYMB-930/1040/1100/1200 CE
HOT STAMPING & CUTTING MACHINE**



**TYMB-750 CE
HOT STAMPING & CUTTING MACHINE**



Product Description:

The series of model TYMB gilding, cutting & mark pressurized machine is product of new generation with clockwork precision and marked effect. It is used for gilding—printing all kinds of colored electro—chemical aluminum, marking a concave—convex die—cutting pictures, trade mark, advertisement of sample, boxes, cover of books and new year card, highly decorations and printing materials. It is the optimum equipment for printing, packing, decoration and plastic industries with materials including paper, cardboard, plastic, leather matter.

