

PO Box 565931 Miami, FL 33256-5931 Phone: +1 (786) 713-0996

web: www.royomachinery.com - email: sales@royomachinery.com

Sep 2024 - Stock List

OFFSET PRESSES - 6 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
6316	Heidelberg	Speedmaster SM 52-6	Offset Press 1995 Heidelberg Speedmaster SM 52-6, Perfector Location: Between 1 & 2 and 2 & 3, S/N: 200061, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Grafix powder spray, Low pile delivery, Non-stop delivery, Non-stop feeder, Preset, Preset Feeder, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator.	1995	248	Please Call

OFFSET PRESSES - 5 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
7723	Heidelberg	Speedmaster SM 52-5 + LX	Offset Press 2000 Heidelberg Speedmaster SM 52-5 + LX, S/N: 203538, Features: 15000 sph, Alcolor Dampening, Alcolor Vario Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Extended delivery, Grafix powder spray, Heidelberg DryStar IR Dryer, Hot air knife, In-line coater, Light pen & smart card reader, Non-stop delivery, Non-stop feeder, Preset, Sheet Decurler, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator.	2000	85	Please Call

OFFSET PRESSES - 4 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7756</u>	Heidelberg	Printmaster PM	Offset Press 2006 Heidelberg Printmaster PM 52-4, Perfector Location: Between 2 & 3, S/N:	2006		Please Call

		52-4	Pending, Features: 13000 sph, Alcolor Dampening, Automatic Blanket and Roller Washer, Bacher pin register on clamps, Baldwin Refrigerated Recirculator, Chain delivery, Classic center, CPTronic, Diagonal Register, Double sheet detector, Easy Plate, Electronic sidelay control, Like new condition, Low pile delivery, Mediprint Spray Powder Unit, Preset Feeder, Sheet Decurler, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator.			
7335	Heidelberg	Speedmaster SM 52-4 + LX	Offset Press 2008 Heidelberg Speedmaster SM 52-4 + LX, S/N: 208218, Features: 15000 sph, Alcolor Dampening, Alcolor Vario Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Chromed plate cylinders, CP2000, Diagonal Register, Double sheet detector, Electronic sidelay control, Extended delivery, Grafix IR Dryer, Grafix powder spray, High pile delivery, In-line coater, Ink Line, Ink temperature control, Instant Gate, Like new condition, Non-stop delivery, Preset, Preset Feeder, Sheet Decurler, Silver Series Machine, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector.	2008	44	Please Call
<u>7669</u>	Heidelberg	Speedmaster SM 52-4 + LX	Offset Press 2001 Heidelberg Speedmaster SM 52-4 + LX, S/N: 205307, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Chrome Plate Blanket & Impression Cylinder, CP2000, Diagonal Register, Double sheet detector, Electronic sidelay control, Heidelberg DryStar IR Dryer, High pile delivery, Hot air knife, In-line coater, Non-stop delivery, PowderStar spray unit, Preset, Preset Feeder, Refrigerated Recirculator, Sheet Decurler, Silver Series Machine, Straight Machine, Stream Feeder, Suction Tape on Feeder.	2001	90	Please Call
<u>7592</u>	Roland	R904 7B	Offset Press 2002 Roland R904 7B, S/N: 29573B, Features: 13000 sph, Air drums, Air suction in feeder, Auto blanket wash, Auto ink roller wash, Blanket size: 52.323" x 65.354", CCI (Computer Controlled Inking), Central Air Cabinet, Chrome blanket cylinder, Chrome impression cylinder, ColorPilot Smart (RCI + CCI), Delivery pile height: 46.85", Diagonal Register, Double sheet detector, Electronic sidelay control, Feeder pile height: 47.25", High pile delivery, Job memory card, Lateral and circumferential register control, Mabeg feeder, Max. delivery pile weight: 3000kg, Max. feeder pile weight: 3000kg, Max. image area: 46.850" x 63.779", Max. sheet size: 47.244" x 63.779", Min. sheet size: 23.622" x 36.220", Paper Thickness: 0.00236" - 0.0157", Pecom, Pin register on clamps, Plate size: 52.165" x 64.173", Pneumatic sidelay, Powder Spray, PPL (Power Plate Loading), Premium Size Changing, RCI 2 console with touch screen monitor, Rietschle Aircenter, Roland Delta Dampening, Sheet decurler, Start of print: 2.95", Steel plate in feeder & delivery, Stream feeder, Technotrans ink temperature control, Technotrans Recirculator Refrigerator, Vacuum feed board, Weight: 90 Ton.	2002	239	Please Call

OFFSET PRESSES - 2 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7573</u>	Heidelberg	MOZ	Offset Press 1994 Heidelberg MOZ, Perfector Location: Between 1 & 2, S/N: 613817, Features: 11000 sph, Alcolor Dampening, Automatic Blanket Wash, Bacher pin register on	1994	44	Please Call

BOX FOLDER GLUER

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7241</u>	Jagenberg	Diana 90-2	Box Folder Gluer 1993 Jagenberg Diana 90-2, S/N: 1045260, Features: Continuous friction feeder with variable speed, Crash lock bottom, Delivery mechanically adjusted, First and Third crease openers, Lock bottom: 90 degress pre-folding for No.3 line, Material: Single or double PE coated paper, Two adjustable front feed knives, Two upper and two lower carriers, Upper and lower drive for length adjustment on the trombone.	1993		Please Call
7600	Royo Machinery	RZY-800	Box Folder Gluer 2016 Royo Machinery RZY-800, S/N: 10327, Features: Carton thickness: 200-700 gsm, Continuous friction feeder with variable speed, Corrugated flute type: N F E, Crash lock bottom, Disc applied double upper gluing system, Edge-grinder, Lock bottom: 90 degress pre-folding for No.3 line, Max. Box size: 700 x 550mm Lock Bottom, Max. Box size: 800 x 550mm Side Gluing, Min. Box size: 200 x 100mm Lock Bottom, Min. Box size: 75 x 80mm Side Gluing, One lower (left side) gluing tank, Side gluing: 135 degrees pre-folding for No.1 line, Speed: 0-260m/min, Straight Line, Suggested HS Code: 8441.30.9000, Total Power: 6.37kw, Weight 4.2t.	2016		Please Call

CARTON ERECTING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7734</u>	Royo Machinery	RBJ-D1200GS	Carton Erecting Machine 2024 Royo Machinery RBJ-D1200GS, S/N: 111683, Features: Box height: 0.6-7.75", Compressed air: 0.2m3/min 0.5-0.7Mpa, Corrugated board: E-flute., Corrugated: up to 1.5mm, Dimensions: 142" x 73" x 67", Folding angle: 5 to 40 degrees, Fully servo driven, Open box width: 4-15.75", Paper board: 200-600 gsm, Power: 6.5kW, Speed: 160-400 pcs/min, Suggested HS Code: 8441.30.9000, Tilted feeder for easier set up, Vacuum feed board, Weight 2.8t.	2024		Please Call

CARTON STRIPPER

ID	Make	Model	Features	Year	Imp. Circa	Price
7223	Royo Machinery	RM-4500	Carton Stripper 2024 Royo Machinery RM-4500, S/N: Pending, Features: Air consumption: 12 CFM, Air Pressure: 0.65-0.8MPa, Dimensions: 500 x 160 x 200 mm, Middle size chain standard, Suggested HS code: 8441.40.0000, Three stripping chain sizes available, Weight: 4.7 kg, Working Speed: 3500-4500 RPM.	2024		Please Call

<u>7226</u>						
	Royo Machinery	RM-4500E	Carton Stripper 2024 Royo Machinery RM-4500E, S/N: Pending, Features: Dimensions: 500 x 160 x 200 mm, Middle size chain standard, Power: 1700 W, Three stripping chain sizes available, Voltage: 220 Volts Single Phase 60 Hz, Weight: 4.2 kg, Working Speed: 3500-4500 RPM.	2024		Please Call
<u>7686</u>	Royo Machinery	RMSCB-1300	Carton Stripper 2020 Royo Machinery RMSCB-1300 , S/N: 20400915076 , Features: Air consumption: 1.2 CFM, Air pressure: 0.62MPa, Dimensions: 4700 x 2000 x 2050 mm, Double head (Optional), Max. Stripping Area: 51" x 31", Max. Stripping Finished Product: 31" x 25", Mechanical arm & conveyor (Optional), Min. Stripping Area: 18" x 13", Min. Stripping Finished Product: 2" x 4", Power: 10 kW, Stripping Height: 1.6" - 4.7", Stripping Speed: 10-15 Strokes per minute, Suggested HS code: 8441.40.0000, Weight: 3600 kg.	2020		Please Call
COLD G	SLUE APPLICAT	OR				
ID	Make	Model	Features	Year	Imp. Circa	Price
7743	Royo Machinery	RHZ4	Cold Glue Applicator 2024 Royo Machinery RHZ4, S/N: P1047054, Features: Accuracy: +/-1 mm at 100 meters/min, Adhesive pressure: 5-20 Bars, Adhesive viscosity: 700-2500 cPs (Brookfield LVT 3/30/28C), Cold adhesive feeding unit, Cold adhesive spray gun, Fully programable pattern with memory, Number of optical sensors: Up to 4, Number of spray guns: Up to 4, Operating rate: Up to 600 meters/min, Spray controller, Suggested HS code: 8424.90.00, Touch screen LED display, Water base adhesive.	2024		Please Call
COLLA	TOR					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>6762</u>	Horizon	VAC 100	Collator 2005 Horizon VAC 100, S/N: Pending, Features: 10 Bins per tower, 7560 sets per hour - 20 bins, 9000 sets per hour - 10 bins, Air feed, Delivery Conveyor LC200, Max. Cover Size - Manual Feed: 12.6" x 22.8", Max. Paper size: 14" x 20", Min. Paper size: 4.75 x 5.8", PJ-77R jogger, Stitcher-Folder SPF-200A, Two towers, VAC 100a Collating Tower, VAC 100c Collating Tower.	2005		Please Call
CORRU	GATED BOARD	LAMINATOR				
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>6536</u>	Royo Machinery	RFMZ-1300	Corrugated Board Laminator 2014 Royo Machinery RFMZ-1300, S/N: 011114, Features: Compression Unit, Corrugated Board Feeder, High Pile Feeder, Laminating tolerance: +/-1.5mm, Weight of top sheet: 200 - 450 gsm.	2014	·	Please Call
	O DI OTTED					
CUTTIN	G PLOTTER					

<u>7365</u>	Royo Machinery	RZCAM-S1209A	Cutting Plotter 2022 Royo Machinery RZCAM-S1209A, S/N: SC2022000366, Features: Accuracy: +/-0.1mm, Compatibility: AutoCAD CorelDraw Optitex Shoemaster RECAD Gerber etc., Cutting Speed: Straight line up to 1500mm/sec, Cutting Thickness: 0.1-1.5mm (Max. 2mm), Dimensions: 1610 x 1330 x 1040 mm, File Format: Standard DXF PLT and HPGL, Folding Carton Samplemaker, Functions: Full cut kiss cut half cut drawing and marking, Machine Language: HP-GL and GP-GL, Material hold down: Via vacuum, Materials: Cardboard paper PP plastic EVA magnetic, Motor & Transmission: Servo motor with guided rail and synchronous belt, Plotting Pen, Total Power: 1.1kW 220V 50/60Hz, Weight: 210 kg GW / 160 kg NW, Working area: 1200 x 900mm.		Please Call
-------------	----------------	--------------	---	--	-------------

DIE CUTTER

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7240</u>	Gietz	FSA 720	Die Cutter 1979 Gietz FSA 720, S/N: 11406, Features: Dimensions: 4.3 x 3.6 x 1.9 m, Feeding Pile Height: 950mm, Foil feeding units: 3, Foil Stamping, Max. Paper Thickness: 0.5mm, Max. Sheet Size: 720 x 520 mm, Max. Speed: 5000 sph, Maximum foil diameter: 160mm 1" core, Min. Paper size: 297 x 210mm, Programmable foil advance, Total Power: 34kw, Total Weight: 7.0 Tons.	1979		Please Call
<u>7783</u>	Heidelberg	S	Die Cutter 1959 Heidelberg S, S/N: 13193, Features: 4000 strokes per hour, Max. Blank Size: 21.25" x 28.5", Min. Sheet size: 4.5 x 6.25", Weight: 10350 lbs	1959		Please Call
<u>7784</u>	Heidelberg	S	Die Cutter 1958 Heidelberg S, S/N: 12562, Features: 4000 strokes per hour, Max. Blank Size: 21.25" x 28.5", Min. Sheet size: 4.5 x 6.25", Weight: 10350 lbs	1958		Please Call
<u>7656</u>	Royo Machinery	ML1100	Die Cutter 2024 Royo Machinery ML1100, S/N: 759190B, Features: Central lubrication with auto pump, Dimensions: 2020 x 2010 x 1900 mm, Hand Feed, Max. die cutting length: 3000 mm, Max. die cutting size 1100 x 800mm, Max. Speed: 1200 strokes per hour, Paper or cardboard thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 5.5kw, Total Weight: 4.5 Tons, Total Weight: 6 Tons, Voltage: 220V 3PH 60Hz.	2024		Please Call
7778	Royo Machinery	ML1500	Die Cutter 2023 Royo Machinery ML1500, Features: 5mm steel plate, Air clutch, CE Standard Machine, Central lubrication with auto pump, Corrugated board up to 8.5mm, Cycle control: Single cut and stop at the open position - time delay open position - continuous cycle, Dimensions: 2650 x 2100 x 2050 mm, Dust cover curtain, Gantry for chase removal, Hand Feed, Inner chase size: 59" x 45.25", IR safety lights, Max. die cutting length: 1770", Max. Speed: 14 +/-2 strokes per minute, Micro adjustment device, Paper or cardboard thickness: 100-2000 gsm, Pneumatic die plate ejector, Suggested HS code: 8443.19.8000 (Manual), Total Power: 7.5kw, Total weight: 7.3 Tons, Triple electromechanical safety device, Voltage: 220V 3PH 60Hz.	2023		Please Call
<u>7777</u>	Royo Machinery	ML2500	Die Cutter 2023 Royo Machinery ML2500, S/N: Pending, Features: 5mm steel plate, Air clutch, CE Standard Machine, Central lubrication with auto pump, Corrugated board up to 8.5mm, Cycle control: Single cut and stop at the open position - time delay open position - continuous cycle, Dimensions: 142" x 88.5" x 98.5", Dust cover curtain, Gantry for chase	2023		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

			removal, Hand Feed, Inner chase size: 98.5" x 59", IR safety lights, Max. die cutting length: 2756", Max. Speed: 12 +/-2 strokes per minute, Micro adjustment device, Paper or cardboard thickness: 100-2000 gsm, Pneumatic die plate ejector, Suggested HS code: 8443.19.8000 (Manual), Total Power: 22kw, Total Weight: 18.5 Tons, Triple electromechanical safety device, Voltage: 220V 3PH 60Hz.			
<u>7648</u>	Royo Machinery	ML750	Die Cutter 2024 Royo Machinery ML750, S/N: Pending, Features: Central lubrication with auto pump, Dimensions: 1650 x 1400 x 1500 mm, Hand Feed, Max. die cutting length: 1500 mm, Max. die cutting size: 750 x 520mm, Max. Speed: 1500 strokes per hour, Paper or cardboard thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 2.2kw, Total Weight: 2.2 Tons, Voltage: 220V 3PH 60Hz.	2024		Please Call
7688	Royo Machinery	RDC-1060C	Die Cutter 2018 Royo Machinery RDC-1060C, S/N: 18051-3-10, Features: Central lubrication with auto pump, Corrugated board up to 4mm, Delivery Pile Height 1100 mm, Die cutting Precision: +/- 0.1mm, Dimensions: 4990 x 2700 x 2060 mm, Feeding Pile Height: 1380mm, Max. die cutting pressure: 250 Tons, Max. die cutting size 1060 x 780mm, Max. Speed: 8000 strokes per hour, Min. gripper margin: 5mm, Min. Paper size: 450 x 360mm, Paper or cardboard thickness: 100-2000 gsm, Total Power: 18kw, Total Weight: 17 Tons, Voltage: 220V 3PH 60Hz.	2018		Please Call
7761	Royo Machinery	RDC-800H	Die Cutter 2017 Royo Machinery RDC-800H, S/N: Pending, Features: Air clutch, Central lubrication with auto pump, Corrugated board up to 2mm, Delivery Pile Height: 1030mm, Die cutting Precision: +/- 0.1mm, Digital LED control panel, Dimensions: 4290 x 2330 x 1980 mm, Max. die cutting pressure: 150 Tons, Max. die cutting size 800 x 620mm, Max. Speed: 8500 strokes per hour, Min. distance to 1st rule: 12 mm, Min. gripper margin: 7 mm, Non-stop delivery with rolling curtain, Paper or cardboard thickness: 100-2000 gsm, Pre-loader, Pull or Push side lay on both sides, Suggested HS code: 8441.4000 (Automatic), Total Power: 13kw, Total Weight: 10 Tons, Voltage: 220V 3PH 60Hz.	2017		Please Call
7492	Royo Machinery	RHT-1050	Die Cutter 2024 Royo Machinery RHT-1050, S/N: 0128, Features: Central lubrication with auto pump, Delivery Pile Height 1100 mm, Die cutting precision: +/- 0.075mm, Dimensions: 4820 x 3865 x 2200mm, Feeding Pile Height: 1380mm, Max. die cutting pressure: 300 Tons, Max. die cutting size: 1040 x 730mm, Max. feeding pile height: 1280mm, Max. paper size: 1050 x 740mm, Max. Speed: 7500 strokes per hour, Min. gripper margin: 9mm, Min. paper size: 400 x 360mm, Total Power: 16kw, Total weight: 15 Tons, Voltage: 220V 3PH 60Hz.	2024	NA	Please Call
7651	Royo Machinery	TYMB750	Die Cutter 2024 Royo Machinery TYMB750, S/N: 759190D, Features: Central lubrication with auto pump, Dimensions: 2150 x 1400 x 1900 mm, Foil Stamping, Hand Feed, Max. die cutting pressure: 100 Tons, Max. Speed 1400 sph, Paper or cardboard thickness: 100-2000 gsm, Programmable foil advance, Suitable paper 1-8 mm corrugated paper (including laminated), Total Weight: 2.5 Tons, Voltage: 220V 3PH 60Hz.	2024		Please Call

DRILL

ID	Make	Model	Fea	atures	Year	Imp. Circa	Price
<u>6770</u>	Challenge	Century	Drill 2000 Challenge Century, S/N: 64345, head, Semiautomatic.	Features: Floor model, Motorized head, One	2000		Please Call

FOIL STAMPING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7436	Royo Machinery	RFL-380	Foil Stamping Machine 2023 Royo Machinery RFL-380, S/N: FL-380.103.228, Features: Dimensions: 660 x 740 x 480mm, Laminating width: 380mm, Power supply: 110V/220V 50Hz/60Hz, Total power: 1600W, Weight: 45 kg.	2023		Please Call
7434	Royo Machinery	RFP-30H+	Foil Stamping Machine 2023 Royo Machinery RFP-30H+, S/N: FP-30H+.000.135, Features: Dimensions: 680 x 510 x 290 mm, Entry Thickness: 30mm, Printing Length: 250mm, Printing Speed: 20-50mm/s adjustable, Printing Width: 300mm, Resolution: 300dpi x 300dpi, Weight: 24 kg.	2023		Please Call

FOLDER

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7267</u>	Baum	714	Folder 2005 Baum 714, S/N: 86-D-211, Features: Air feed, Quick set, Table top, Two plates.	2005		Please Call
<u>6763</u>	MBO	T-49 / 4	Folder 1992 MBO T-49 / 4, S/N: P2/08, Features: 1st Unit - 4 plate folds, Air feed, Belt delivery, Combo rollers, Control box, Counter, Pile feeder, Quick Set.	1992		Please Call
<u>6486</u>	Stahl	KD-78 4KZ	Folder 2002 Stahl KD-78 4KZ, S/N: 125434-274020, Features: 32 Page Section, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Digital knife folder, Noise hoods on all stations, Parallel + 3 knives, Pre-slitter shaft, Quick Set, SBP Stacker, Zero Speed Folding Plate Deflectors.	2002		Please Call
<u>6250</u>	Stahl	B-23 / 44	Folder 2008 Stahl B-23 / 44, S/N: 123RI0007, Features: 1 right angle, 1st Unit - 4 plate folds, 2nd Unit - 4 Plate folds, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Parallel Section, Pre-slitter shaft, Quick Set, Slit/Score/Perforate in parallel section, Zero Speed Folding Plate Deflectors.	2008		Please Call
<u>7774</u>	Stahl	T-36 / 44	Folder 1995 Stahl T-36 / 44, S/N: 81395-236066, Features: 1st Unit - 4 plate folds, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Miniature Stacker, Pile feeder, Quick Set.	1995		Please Call

FORKLIFT

ID	Make	Model	Features	Year	Imp. Circa Price
<u>7755</u>	Clark	C25C	Forklift 2012 Clark C25C, S/N: 4800 M2325 4x03 CNF, Features: 3 Stage mast, Cushion Tires, Free Lift, Max Capacity: 5000 lbs., Propane, Ready for Clamp, Side Shift.	2012	Please Call
<u>7559</u>	Hyster	S120XLS	Forklift 2004 Hyster S120XLS, S/N: D004V09598S, Features: Cushion Tires, Lowered Mast/Lift Height: 81" - 90", Max. Fork Height: 160", Paper roll clamp, Propane, Side Shift, Truck Weight: 18600 lbs.	2004	Please Call
<u>7782</u>	Toyota	8FBE20U	Forklift 2018 Toyota 8FBE20U, S/N: 14014, Features: Cushion Tires, Electric, Free Lift, Hydraulic Fork positioner, Hydraulic side shift, Mast type: FSV, Max. Capacity: 2760 lbs, Tire	2018	Please Call

			Type: Solid, Triple Mast, Truck weight: 6080 lbs.			
<u>7781</u>	Toyota	8FGCU25	Forklift 2017 Toyota 8FGCU25, S/N: 77403, Features: Cushion Tires, Free Lift, Hydraulic Fork positioner, Hydraulic side shift, Propane, Tire Type: Solid, Triple Mast.	2017		Please Call
<u>7019</u>	Yale	GLC040	Forklift 1999 Yale GLC040, S/N: A809N07514W, Features: Double Low Mast, Fork length: 38", Maximum Mast/Lift Height: Over 83", Side Shift.	1999	5780	Please Call
LAMIN	ATOR					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7760</u>	Royo Machinery	RL-720B	Laminator 2024 Royo Machinery RL-720B, S/N: 24072002, Features: Dimensions: 1270 x 1150 x 1400 mm, Laminating Speed: 0-15m/min, Paper thickness: 105-500 gsm, Total Power: 3.2kw, Total Weight: 250kg.	2024		Please Call
7746	Royo Machinery	RL-SW-560	Laminator 2024 Royo Machinery RL-SW-560, S/N: 24071802, Features: Delivery table with jogger, Dimensions: 4600 x 1350 x 1600 mm, Electromagnetic heater, Laminating Speed: 0-60m/min, Laminating Temperature: 80-110 C, Max. Paper size: 560 x 820mm, Min. Paper size: 210 X 300mm, Paper thickness: 105-500 gsm, Sheet decurler, Sheet separator, Stacker (Optional), Suggested HS code: 8420.10.0090, Total Power: 20kw, Total Weight: 2600kg, Voltage: 220V 60/50HZ.	2024		Please Call
PAPER	R BAG MAKING M	IACHINE				
ID	Make	Model	Features	Year	Imp. Circa	Price
7408	Royo Machinery	RHY-270	Paper Bag Making Machine 2023 Royo Machinery RHY-270, S/N: 001210, Features: Cut-off Length: 120-450 mm, Dimensions: 7300 x 2200 x 1800 mm, Max. Paper Roll Diameter: 1200mm, Max. Paper Roll Width: 900mm, Paper Bag Width: 80-270 mm, Paper roll core diameter: 76mm, Paper thickness: 35-80 gsm, Plastic film width: up to 210 mm, Plastic Film: Up to 400 mm long, Precision: +-0.2mm, Printed image register system, Side folding (Gusset): 20-120 mm, Speed: Up to 500 pcs/min, Total Power: 16Kw, V bottom bag making machine, Weight: 5000 Kg, Window Film Applicator.	2023	0	Please Call
<u>7400</u>	Royo Machinery	RSBR-330	Paper Bag Making Machine 2023 Royo Machinery RSBR-330, S/N: 001212, Features: Cardboard inner reinforcement applicator, Cut-off Length: 270-520 mm, D-Cut handle inline die cutting, Dimensions: 9600 x 2500 x 11800 mm, Max. Paper Roll Diameter: 1500mm, Max. Paper Roll Width: 1010mm, Max. Speed: 150 pcs/min, Paper Bag Width: 150-330 mm, Paper roll core diameter: 76mm, Paper thickness: 80-160 gsm, Printed image register system, Square bottom bag making machine, Total Power: 15kw, Weight: 9000 Kg, Width of Bag Bottom: 80-180 mm.	2023		Please Call
			Bottom. 80-180 mm.			
PAPER	R COUNTER		Bollom. 80-180 mm.			

<u>7772</u>	Royo Machinery	RWDLSZJ-2	Paper Counter 2023 Royo Machinery RWDLSZJ-2, Features: Collecting table height: 770mm, Collecting table width: 580 x 900mm, Counting speed up to 1500 pcs/min, Dimensions: 900 x 1086 x 1401 mm, Max. paper size: 546 x 788mm, Max. paper stacking height: 220mm, Paper thickness range: 80-400 gsm, Tab insertion from 2 to 1000 sheets, Tab size: 6 x 100mm, Total power: 1280W, Voltage: 220V Single Phase 50/60Hz, Weight: 260 kg.	2023		Please Call
PAPER	CUTTER					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7773</u>	Polar	115 CE	Paper Cutter 1973 Polar 115 CE, S/N: 4331933, Features: Air table, Automatic, Digital programming, Safety lights, Side tables, Spare blades.	1973		Please Call
<u>7109</u>	Saber	S115	Paper Cutter 2001 Saber S115, S/N: 61601, Features: Automatic, Floor Stand, Green CRT Monitor, Safety lights.	2001		Please Call
PAPER	HANDLE MAKIN	IG MACHINE				
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7402</u>	Royo Machinery	RCMHM-100	Paper Handle Making Machine 2021 Royo Machinery RCMHM-100, S/N: CMHM-100-1, Features: Belt delivery for manual inserting and gluing, Dimensions: 3000 x 2300 x 1900mm, Hotmelt gluing, Max. handle height (A+B): 110-190mm, Paper patch length (C): 190mm 160mm 130mm, Paper patch width (B): 35-45mm, Paper rope diameter: 3-4mm, Paper weight: 80-140 gsm, Rope spacing range (D): 88mm, Speed: 200-300 pcs/minute, Total Power: 4.8kw, Weight: 2000kg.	2021		Please Call
PUNCH	l					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>6729</u>	GBC	MHP-17	Punch 2004 GBC MHP-17, S/N: 4683S1298, Features: 230V 60Hz single phase, Dimensions: $44.5 \times 46.5 \times 28.5$ inches, Interchangeable punching dies, Punch Capacity: .008", Up to 17 inches on the bind edge, Weight: 250kg / 550lbs.	2004		Please Call
ROLL F	ED DIE CUTTER					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7536</u>	Royo Machinery	RPY-950	Roll Fed Die Cutter 2024 Royo Machinery RPY-950, S/N: 108158, Features: Dimensions (LxWxH): 4200 x 2100 x 1850 mm, Material thickness: 100-800 gsm, Max. Die Cutting Pressure: 350 Tons, Max. Die cutting size 950 x 540 mm, Max. Speed: 12000 strokes per hour, Maximum roll diameter: 1800 mm, Precision: +-0.10mm, Register mark sensor with color recognition, Total Power: 14.5kw, Weight 7t.	2024	·	Please Call

ROLL SHEETER

ID	Make	Model	Features	Year	Imp. Circa	Price
7647	Royo Machinery	RCM-1500A-1	Roll Sheeter 2024 Royo Machinery RCM-1500A-1, S/N: 759590158BH, Features: 1x Roll Stand, Auto cut length adujstment system, Color LCD operating panel, Cut off tolerance: +/-0.1-0.5mm, Cut-off range: 18-55", Delivery pile height: 1300mm, Dimensions: 7831 x 2151 x 1850 mm, Dual tab inserter, Hydraulic shaftless mill roll stands, Max. Cutting Speed: 300 cuts/min, Max. paper width: 1500mm, Max. roll diameter: 1800mm, Overlapper & piler, Paper tensioning control, Paper thickness: 60-550 gsm, Rotary Knife, Rotary upper knife and fixed lower knife, Self Adjusting Air Brakes, Suggested HS code: 8441.10.0000, Three pneumatic Festo slitters, Total Weight: 11000kg, Waste Bag Extraction.	2024		Please Call
ROUNE	CORNERING M	ACHINE				
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7084</u>	Southworth Machine Co.	PUC	Round Cornering Machine 1980 Southworth Machine Co. PUC, S/N: 1232, Features: 4" Lift Capacity, Corner Sizes Handled: 1/8" to 5/8", Net Weight: 190 lbs, Table Depth: 24", Table Height: 36", Table Width: 20 1/4".	1980		Please Call
SCREE	N UV COATER					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7533</u>	Royo Machinery	RJB-780	Screen UV Coater 2023 Royo Machinery RJB-780, S/N: 70958, Features: Dimensions: 10500 x 2020 x 1270 mm, IR Lamp power: 1.2 kW x 4 Lamps (optional), Margin < 13 mm, Max. Paper size 780 x 540mm, Max. Printing size: 780 x 520mm, Paper thickness: 90-350 gsm, Screen frame size: 940 x 940mm, UV lamp power: 8 kW x 3 lamps, Weight 5.6t.	2023		Please Call
STITCH	HER					
ID	Make	Model	Features	Year	Imp. Circa	Price
7087	Hohner	53A 3/4	Stitcher 1990 Hohner 53A 3/4, S/N: 4209, Features: Saddle or Flat, Single Head, Wire Stitcher.	1990		Please Call
STRAP	PING MACHINE					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7236</u>	Bunn	TP-202	Strapping Machine 2004 Bunn TP-202, S/N: 41283562, Features: Band tape auto adding, Electrical: 110V 60 Hz, Max. Package Size: Any size, Net Weight: 85 kg, Strap Tension: Adjustable from 15 to 45 kg, Strap width: 6 9 12 & 15 mm.	2004		Please Call
7388	Royo Machinery	RB-42	Strapping Machine 2024 Royo Machinery RB-42, S/N: B42.010.180 / B42S.000.118,	2024		Please Call

			Features: Auto and manual sealing mode, Band tape auto adding, Bundling tension: 5-20N (1N=0.1kgf), Dimensions: 560 x 300 x 495 mm, Film tape for optional stand: 30mm x 810 meters per roll, Jumbo roll paper band available, Max. strapping size: 15.7" x 7.9", Min. packing size: 100 x 30mm, Min. strapping size: 1.18" x 0.39", Net Weight: 71 lbs, Paper band available, Paper tape for optional stand: 30 mm x 650 meters per roll, Plastic film band available, Power supply: AC 220V - 200W, Power: 0.62 kW, Speed: 26 pcs/min, Standard Film Tape: (30mm x 150 M/roll) Thickness: 0.1mm, Standard Paper Tape: (30mm x 150M/roll) Thickness: 0.12mm, Strapper stand for jumbo roll (Optional), Tape width: 30 mm, Voltage: 115/220V 60Hz, Warm up time: less than 1 second.			
7387	Royo Machinery	RB-42	Strapping Machine 2024 Royo Machinery RB-42, S/N: B42.010.181, Features: Auto and manual sealing mode, Band tape auto adding, Bundling tension: 5-20N (1N=0.1kgf), Dimensions: 560 x 300 x 495 mm, Film tape for optional stand: 30mm x 810 meters per roll, Jumbo roll paper band available, Max. strapping size: 15.7" x 7.9", Min. packing size: 100 x 30mm, Min. strapping size: 1.18" x 0.39", Net Weight: 71 lbs, Paper band available, Paper tape for optional stand: 30 mm x 650 meters per roll, Plastic film band available, Power supply: AC 220V - 200W, Power: 0.62 kW, Speed: 26 pcs/min, Standard Film Tape: (30mm x 150 M/roll) Thickness: 0.1mm, Standard Paper Tape: (30mm x 150M/roll) Thickness: 0.12mm, Strapper stand for jumbo roll (Optional), Tape width: 30 mm, Voltage: 115/220V 60Hz, Warm up time: less than 1 second.	2024		Please Call
TAPE /	APPLICATOR					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7138</u>	3M	39600	Tape Applicator 1999 3M 39600, S/N: 14610, Features: Adjustable Case Sealer, Top tape sealer.	1999		Please Call
<u>7141</u>	MARQ	HPE-NS	Tape Applicator 2008 MARQ HPE-NS, S/N: Q980073, Features: Adjustable Case Sealer, Bottom tape case erector, Box opener, Bundle stack hopper, Flap closer & sealer.	2008		Please Call
UV DR	YER					
ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7578</u>	Royo Machinery	RUV-GG740	UV Dryer 2006 Royo Machinery RUV-GG740, S/N: Pending, Features: 29" width, Double lamp configuration, Max. Curing Speed: 90m/min, Tray delivery, UV Lamp 2x 6.5kw.	2006		Please Call
VACUL	JM PUMP					
VACU L	JM PUMP Make	Model	Features	Year	Imp. Circa	Price
		Model RBVT-140	Features Vacuum Pump 2024 Royo Machinery RBVT-140, S/N: Pending, Features: +/- 600mbar, 168 cubic meters per hour, 230/400V, 3 Phase, 9kw, Carbon Blades, Oil-free, One inlet - One outlet.	Year 2024	Imp. Circa	Price Please Call

			168 cubic meters per hour, 230/400V, 3 Phase, 9kw, Carbon Blades, Oil-free, One inlet - One outlet.		
<u>7758</u>	Royo Machinery	RBVT-80	Vacuum Pump 2024 Royo Machinery RBVT-80, S/N: Pending, Features: +/- 600mbar, 230/400V, 3 Phase, 4.8kw, 60Hz, 96 cubic meters per hour, Carbon Blades, Oil-free, One inlet - One outlet.	2024	Please Call
<u>7319</u>	Royo Machinery	RBVT-80	Vacuum Pump 2022 Royo Machinery RBVT-80, S/N: N2205108, Features: +/- 600mbar, 230/400V, 3 Phase, 4.8kw, 60Hz, 96 cubic meters per hour, Carbon Blades, Oil-free, One inlet - One outlet.	2022	Please Call

WIDE FLEXO PRESS

ID	Make	Model	Features	Year	Imp. Circa	Price
<u>7542</u>	Royo Machinery	RYTB-41000	Wide Flexo Press 2023 Royo Machinery RYTB-41000, S/N: 20230726ZYY, Features: 3" air shafts for wind and unwind, Anilox roller range: 300-1000 LPI, Anilox ultrasonic cleaning machine, Central lubrication, Ceramic anilox rollers, Corona treatment (optional), Drying system, Electronic tensioning control, Electronic web guide, Gear pitch: 1/16", Hot air dryer (one per 2 units), Materials: Film PVC OPP PE BOPP PE NY PET CPP Paper PP woven non-woven, Max. printing width: 37", Max. web width: 39.25", Number of colors: 4, Photopolymer thickness: 1.14 1.7 2.28 2.84 & 3.94mm, Plate mounting machine with camera, Printing Length: 11.75-39.25", Recommended photopolymer thickness: 1.7 mm, Roll to Roll, Speed: 200-330ft/min, Suggested HS code: 8443.16.0090, UV Dryer (optional), Video inspection system (optional).	2023		Please Call