

ROYO MACHINERY

PO Box 565931
 Miami, FL 33256-5931
 Phone: +1 (786) 713-0996
 web: www.royomachinery.com - email: sales@royomachinery.com

Nov 2023 - Stock List

OFFSET PRESSES - 6 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
6316	Heidelberg	Speedmaster SM 52-6	Offset Press 1995 Heidelberg Speedmaster SM 52-6, Perfector Location: Between 1 & 2 and 2 & 3, S/N: 200061, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Grafix powder spray, Low pile delivery, Non-stop delivery, Non-stop feeder, Preset, Preset Feeder, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator.	1995	248	Please Call

OFFSET PRESSES - 5 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
7577	Heidelberg	Speedmaster SM CD 74-5	Offset Press 2001 Heidelberg Speedmaster SM CD 74-5, S/N: 450150, Features: 15000 sph, Air transfer system, AirStar, Alcolor Vario Dampening, Anti-static Device, Automatic Blanket Roller and Impression Cylinder Wash, Chrome Plate Blanket & Impression Cylinder, CombiStar refrigeration with ink temperature control, CP2000, Electronic sidelay control, Grafix powder spray, Heidelberg DryStar IR Dryer, Non-stop delivery, Non-stop feeder, Preset, Preset Delivery, Preset Plus Feeder, Sheet Decurler, Silver Series Machine, Steel plate in delivery, Steel plate in feeder, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans CombiStar CAN with AlcoSmart, Ultrasonic double sheet detector.	2001	189	Please Call
7453	Shinohara	75 VH	Offset Press 2007 Shinohara 75 VH, S/N: 100621325, Features: 17000 sph, Automatic blanket wash, Automatic ink roller wash, Automatic ink-profile presetting, Autoplate, Baldwin IR Dryer, Baldwin Recirculator Refrigerator, Coater with Anilox roller, Color Console, Diagonal Register, Double sheet detector, F Format: 585 x 750 mm, High pile delivery, In line coater, Non-stop delivery, Non-stop feeder, Powder spray, Sheet decurler, Stream feeder, Suction	2007	110	Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

tape on feeder, Ternes pin register.

OFFSET PRESSES - 4 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
7335	Heidelberg	Speedmaster SM 52-4 + LX	Offset Press 2008 Heidelberg Speedmaster SM 52-4 + LX, S/N: 208218, Features: 15000 sph, Alcolor Dampening, Alcolor Vario Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Chromed plate cylinders, CP2000, Diagonal Register, Double sheet detector, Electronic sidelay control, Extended delivery, Grafix IR Dryer, Grafix powder spray, High pile delivery, In-line coater, Ink Line, Ink temperature control, Instant Gate, Like new condition, Non-stop delivery, Preset, Preset Feeder, Sheet Decurler, Silver Series Machine, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector.	2008	44	Please Call
7615	Heidelberg	Speedmaster SM 74-4	Offset Press 2008 Heidelberg Speedmaster SM 74-4, Perfector Location: Between 2 & 3, S/N: Pending, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Axis control, Bacher pin register on clamps, C Format: 53 x 74 cm, Chain delivery, CP2000, Diagonal Register, Double sheet detector, Electronic sidelay control, Grafix powder spray, High pile delivery, Non-stop delivery, Preset, Preset Feeder, Sheet Decurler, Silver Series Machine, Steel plate in delivery, Steel plate in feeder, Steel plate in feeder & delivery, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector.	2008	110	Please Call
7616	Heidelberg	Speedmaster SM 74-4	Offset Press 1999 Heidelberg Speedmaster SM 74-4, S/N: Pending, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, C Format: 53 x 74 cm, Chain delivery, Chrome Plate Blanket & Impression Cylinder, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Electronic sidelay control, Grafix Alphatronic 200 powder spray, High pile delivery, Ink temperature control, Like new condition, Non-stop delivery, Preset, Preset Feeder, Sheet Decurler, Steel plate in feeder & delivery, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Weko powder spray.	1999	151	Please Call
7592	Roland	R904 7B	Offset Press 2002 Roland R904 7B, S/N: 29573B, Features: 13000 sph, Air drums, Air suction in feeder, Auto blanket wash, Auto ink roller wash, Blanket size: 52.323" x 65.354", CCI (Computer Controlled Inking), Central Air Cabinet, Chrome blanket cylinder, Chrome impression cylinder, ColorPilot Smart (RCI + CCI), Delivery pile height: 46.85", Diagonal Register, Double sheet detector, Electronic sidelay control, Feeder pile height: 47.25", High pile delivery, Job memory card, Lateral and circumferential register control, Mabeg feeder, Max. delivery pile weight: 3000kg, Max. feeder pile weight: 3000kg, Max. image area: 46.850" x 63.779", Max. sheet size: 47.244" x 63.779", Min. sheet size: 23.622" x 36.220", Paper Thickness: 0.00236" - 0.0157", Pecom, Pin register on clamps, Plate size: 52.165" x 64.173", Pneumatic sidelay, Powder Spray, PPL (Power Plate Loading), Premium Size Changing, RCI 2 console with touch screen monitor, Rietschle Aircenter, Roland Delta Dampening, Sheet decurler, Start of print: 2.95", Steel plate in feeder & delivery, Stream feeder, Technotrans ink	2002	239	Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

temperature control, Technotrans Recirculator Refrigerator, Vacuum feed board, Weight: 90 Ton.

7125	Win	S115	Offset Press 2007 Win S115, S/N: 292, Features: .	2007		Please Call
----------------------	-----	------	---	------	--	-------------

OFFSET PRESSES - 2 COLORS

ID	Make	Model	Features	Year	Imp. Circa	Price
7133	Heidelberg	Speedmaster SM 74-2	Offset Press 1996 Heidelberg Speedmaster SM 74-2, Perfector Location: Between 1 & 2, S/N: 621166, Features: 15000 sph, Alcolor Dampening, Automatic ink roller wash, Autoplate, Bacher pin register on clamps, C Format: 53 x 74 cm, Chain delivery, CPTronic, Diagonal Register, Double sheet detector, Grafix Alphatronic 200 powder spray, Low pile delivery, Royse Refrigerated Recirculator, Segmented ink blades, Sheet Decurler, Stream Feeder, Suction Tape on Feeder.	1996		Please Call
7270	Heidelberg	GTO 52-2	Offset Press 1999 Heidelberg GTO 52-2, S/N: 717635, Features: 8000 sph, Bacher pin register on clamps, DDS Dampening, Double sheet detector, Low pile delivery, Powder Spray, Quick action plate clamps, Segmented ink blades, Single Sheet Feeder.	1999	32	Please Call
7573	Heidelberg	MOZ	Offset Press 1994 Heidelberg MOZ, Perfector Location: Between 1 & 2, S/N: 613817, Features: 11000 sph, Alcolor Dampening, Automatic Blanket Wash, Bacher pin register on clamps, Chain delivery, CPTronic, Double sheet detector, Electronic sidelay control, Equipment located in Colombia, IR Dryer, Low pile delivery, PowderStar spray unit, Preset, Quick action plate clamps, Royse Refrigerated Recirculator, Sheet Decurler, Stream Feeder, Ultrasonic double sheet detector.	1994	44	Please Call
6698	Heidelberg	Speedmaster SM 52-2	Offset Press 1997 Heidelberg Speedmaster SM 52-2, S/N: 201198, Features: 15000 sph, Alcolor Dampening, Automatic Blanket Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Diagonal Register, Double sheet detector, Equipment located in Colombia, Gearing for N&P, Low pile delivery, Plus Version, Preset, Preset Feeder, Segmented ink blades, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector, Weko powder spray.	1997	44	Please Call

BOX FOLDER GLUER

ID	Make	Model	Features	Year	Imp. Circa	Price
7547	Royo Machinery	RZH-YZ650 II	Box Folder Gluer 2020 Royo Machinery RZH-YZ650 II, S/N: 70362, Features: Adjustable electronic pile vibrator, Air Pressure Required: 6 Bars, Carton thickness: 200-700 gsm, Continuous friction feeder with variable speed, Corrugated flute type: N F E, Crash lock bottom, Dimensions: 12000 x 1410 x 1600 mm, Disc applied double upper gluing system, Edge-grinder, Lock bottom: 90 degrees pre-folding for No.3 line, Max. Box size: 600 x 550mm Lock Bottom, Max. Box size: 650 x 550mm Side Gluing, Min. Box size: 180 x 90mm Lock Bottom, Min. Box size: 75 x 80mm Side Gluing, One lower (left side) gluing tank, Side gluing:	2020		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

			135 degrees pre-folding for No.1 line, Small box attachment, Speed: 0-260m/min, Straight Line, Suggested HS Code: 8441.30.9000, Third crease line pre-folder up to 135 degrees, Total Power: 8.1kw, Two adjustable front feed knives, Two upper and two lower carriers.			
7600	Royo Machinery	RZY-800	Box Folder Gluer 2016 Royo Machinery RZY-800, S/N: 10327, Features: Carton thickness: 200-700 gsm, Continuous friction feeder with variable speed, Corrugated flute type: N F E, Crash lock bottom, Disc applied double upper gluing system, Edge-grinder, Lock bottom: 90 degrees pre-folding for No.3 line, Max. Box size: 700 x 550mm Lock Bottom, Max. Box size: 800 x 550mm Side Gluing, Min. Box size: 200 x 100mm Lock Bottom, Min. Box size: 75 x 80mm Side Gluing, One lower (left side) gluing tank, Side gluing: 135 degrees pre-folding for No.1 line, Speed: 0-260m/min, Straight Line, Suggested HS Code: 8441.30.9000, Total Power: 6.37kw, Weight 4.2t.	2016		Please Call

CARTON ERECTING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7545	Royo Machinery	RBJ-D800GS	Carton Erecting Machine 2023 Royo Machinery RBJ-D800GS, S/N: Pending, Features: Board: 200-600gsm/m2, Box Height: 15-200mm, Box Length: 100-450mm, Box width: 100-600mm, Compressed air: 0.2m3/min 0.5-0.7Mpa, Corrugated: up to 1.5mm, Dimensions: 3600 x 1400 x 1700 mm, Folding angle: 5 to 40 degrees, Fully servo driven, Power: 5kW, Remote connectivity, Speed: 80-200 pcs/min, Suggested HS Code: 8441.30.9000, Suitable material: 200-600 gsm card paper, PE coated paper, kraft paper, corrugated paper (up to 1.5mm), Tape inserter (optiona), Tilted feeder for easier set up, Weight: 2.1t.	2023		Please Call

CARTON STRIPPER

ID	Make	Model	Features	Year	Imp. Circa	Price
7223	Royo Machinery	RM-4500	Carton Stripper 2022 Royo Machinery RM-4500, S/N: Pending, Features: Air consumption: 12 CFM, Air Pressure: 0.65-0.8MPa, Dimensions: 500 x 160 x 200 mm, Middle size chain standard, Suggested HS code: 8441.40.0000, Three stripping chain sizes available, Weight: 4.7 kg, Working Speed: 3500-4500 RPM.	2022		Please Call
7226	Royo Machinery	RM-4500E	Carton Stripper 2022 Royo Machinery RM-4500E, S/N: Pending, Features: Dimensions: 500 x 160 x 200 mm, Middle size chain standard, Power: 1700 W, Three stripping chain sizes available, Voltage: 220 Volts Single Phase 60 Hz, Weight: 4.2 kg, Working Speed: 3500-4500 RPM.	2022		Please Call
6671	Royo Machinery	RMSCB-70	Carton Stripper 2019 Royo Machinery RMSCB-70, S/N: 192042849, Features: Dimensions: 2450 x 1600 x 1900 mm, Max. Stripping Area: 700x500mm, Max. Stripping Finished Product: 220x220mm, Min. Stripping Area: 450x320mm, Min. Stripping Finished Product: 1.25" x 1.25", Power: 4 kW, Stripping Height: 1.6" - 4.7", Stripping Speed: 15-20 Strokes per minute, Weight: 1600 kg.	2019		Please Call

COLD & HOT GLUE APPLICATOR

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

ID	Make	Model	Features	Year	Imp. Circa	Price
7490	Royo Machinery	RHZ4	Cold & Hot Glue Applicator 2023 Royo Machinery RHZ4, S/N: 70892, Features: Accuracy: +/-1 mm at 100 meters/min, Adhesive pressure: 5-20 Bars, Adhesive viscosity: 700-2500 cPs (Brookfield LVT 3/30/28C), Cold adhesive feeding unit, Cold adhesive spray gun, Fully programable pattern with memory, Number of optical sensors: Up to 4, Number of spray guns: Up to 4, Operating rate: Up to 600 meters/min, Spray controller, Touch screen LED display, Water base adhesive.	2023		Please Call

COLLATOR

ID	Make	Model	Features	Year	Imp. Circa	Price
6762	Horizon	VAC 100	Collator 2005 Horizon VAC 100, S/N: Pending, Features: 10 Bins per tower, 7560 sets per hour - 20 bins, 9000 sets per hour - 10 bins, Air feed, Delivery Conveyor LC200, Max. Cover Size - Manual Feed: 12.6" x 22.8", Max. Paper size: 14" x 20", Min. Paper size: 4.75 x 5.8", PJ-77R jogger, Stitcher-Folder SPF-200A, Two towers, VAC 100a Collating Tower, VAC 100c Collating Tower.	2005		Please Call

CORRUGATED BOARD LAMINATOR

ID	Make	Model	Features	Year	Imp. Circa	Price
6536	Royo Machinery	RFMZ-1300	Corrugated Board Laminator 2014 Royo Machinery RFMZ-1300, S/N: 011114, Features: Compression Unit, Corrugated Board Feeder, High Pile Feeder, Laminating tolerance: +/-1.5mm, Weight of top sheet: 200 - 450 gsm.	2014		Please Call

CUTTING PLOTTER

ID	Make	Model	Features	Year	Imp. Circa	Price
7365	Royo Machinery	RZCAM-S1209A	Cutting Plotter 2022 Royo Machinery RZCAM-S1209A, S/N: SC2022000366, Features: Accuracy: +/-0.1mm, Compatibility: AutoCAD CorelDraw Optitex Shoemaster RECAD Gerber etc., Cutting Speed: Straight line up to 1500mm/sec, Cutting Thickness: 0.1-1.5mm (Max. 2mm), Dimensions: 1610 x 1330 x 1040 mm, File Format: Standard DXF PLT and HPGL, Folding Carton Samplemaker, Functions: Full cut kiss cut half cut drawing and marking, Machine Language: HP-GL and GP-GL, Material hold down: Via vacuum, Materials: Cardboard paper PP plastic EVA magnetic, Motor & Transmission: Servo motor with guided rail and synchronous belt, Plotting Pen, Total Power: 1.1kW 220V 50/60Hz, Weight: 210 kg GW / 160 kg NW, Working area: 1200 x 900mm.	2022		Please Call

DIE CUTTER

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

ID	Make	Model	Features	Year	Imp. Circa	Price
7240	Gietz	FSA 720	Die Cutter 1979 Gietz FSA 720, S/N: 11406, Features: Dimensions: 4.3 x 3.6 x 1.9 m, Feeding Pile Height: 950mm, Foil feeding units: 3, Foil Stamping, Max. Paper Thickness: 0.5mm, Max. Sheet Size: 720 x 520 mm, Max. Speed: 5000 sph, Maximum foil diameter: 160mm 1" core, Min. Paper size: 297 x 210mm, Programmable foil advance, Total Power: 34kw, Total Weight: 7.0 Tons.	1979		Please Call
7523	Royo Machinery	ML1300	Die Cutter 2023 Royo Machinery ML1300, S/N: 769276, Features: CE Standard Machine, Central lubrication with auto pump, Dimensions: 104" x 82.5" x 78.75", Hand Feed, Heating System, Max. die cutting length: 1770", Max. Die cutting size 1280 x 920mm, Max. Speed: 1200 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 7.5kw, Total Weight: 6 Tons, Voltage: 220V 3PH 60Hz.	2023		Please Call
7287	Royo Machinery	ML1300	Die Cutter 2022 Royo Machinery ML1300, S/N: 779380A, Features: CE Standard Machine, Central lubrication with auto pump, Dimensions: 104" x 82.5" x 78.75", Hand Feed, Heating System, Max. die cutting length: 1770", Max. Die cutting size 1280 x 920mm, Max. Speed: 1200 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 7.5kw, Total Weight: 6 Tons, Voltage: 220V 3PH 60Hz.	2022	0	Please Call
7462	Royo Machinery	ML750	Die Cutter 2023 Royo Machinery ML750, S/N: 769596B, Features: Central lubrication with auto pump, Dimensions: 1650 x 1400 x 1500 mm, Hand Feed, Max. die cutting length: 1500 mm, Max. Die cutting size: 750 x 520mm, Max. Speed: 1500 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 2.2kw, Total Weight: 2.2 Tons, Voltage: 220V 3PH 60Hz.	2023		Please Call
7377	Royo Machinery	ML930	Die Cutter 2022 Royo Machinery ML930, S/N: 778875C, Features: Central lubrication with auto pump, Dimensions: 1750 x 1900 x 1700 mm, Hand Feed, Max. die cutting length: 3000 mm, Max. Die cutting size 930 x 670mm, Max. Speed: 1400 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 4kw, Total Weight: 3.5 Tons, Voltage: 220V 3PH 60Hz.	2022	0	Please Call
7425	Royo Machinery	RDC-800M	Die Cutter 2014 Royo Machinery RDC-800M, S/N: 060908, Features: Central lubrication with auto pump, Corrugated board up to 2mm, Delivery Pile Height: 1030mm, Die Cutting Precision: +/- 0.1mm, Dimensions: 4290 x 2330 x 1980 mm, Max. Die Cutting Pressure: 150 Tons, Max. Die cutting size 800 x 620mm, Max. Speed: 7500 strokes per hour, Paper thickness: 100-2000 gsm, Pre-loader, Total Power: 13kw, Total Weight: 10 Tons, Voltage: 220V 3PH 60Hz.	2014		Please Call
7482	Royo Machinery	RHT-1050	Die Cutter 2023 Royo Machinery RHT-1050, S/N: 0801, Features: Central lubrication with auto pump, Corrugated board up to 4mm, Delivery Pile Height 1100 mm, Die cutting precision: +/- 0.075mm, Dimensions: 4820 x 3865 x 2200mm, Feeding Pile Height: 1380mm, Inside chase size: 1050 x 740mm, Max. Die Cutting Pressure: 250 Tons, Max. die cutting size: 1040 x 730mm, Max. feeding pile height: 1280mm, Max. paper size: 1050 x 740mm, Max. Speed: 7500 strokes per hour, Min. gripper margin: 9mm, Min. Paper size: 450 x 360mm, Total Power: 16kw, Total weight: 15 Tons, Voltage: 220V 3PH 60Hz.	2023	0	Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

7492	Royo Machinery	RHT-1050	Die Cutter 2023 Royo Machinery RHT-1050, S/N: Pending, Features: Central lubrication with auto pump, Delivery Pile Height 1100 mm, Die cutting precision: +/- 0.075mm, Dimensions: 4820 x 3865 x 2200mm, Feeding Pile Height: 1380mm, Inside chase size: 1050 x 740mm, Max. Die Cutting Pressure: 300 Tons, Max. die cutting size: 1040 x 730mm, Max. feeding pile height: 1280mm, Max. paper size: 1050 x 740mm, Max. Speed: 7500 strokes per hour, Min. delivery pile height: 1100mm, Min. gripper margin: 9mm, Min. paper size: 400 x 360mm, Total Power: 16kw, Total weight: 15 Tons, Voltage: 220V 3PH 60Hz.	2023	NA	Please Call
7457	Royo Machinery	RSL-1060 MT	Die Cutter 2017 Royo Machinery RSL-1060 MT, S/N: Pending, Features: Air clutch, CE Standard Machine, Central lubrication with auto pump, Corrugated board up to 4mm, Delivery Pile Height 1000 mm, Die cutting chase pneumatic locking mechanism, Die Cutting Precision: +/- 0.1mm, Dimensions: 7570 x 4650 x 2280 mm, Feeding Pile Height: 1250mm, Foil feeding units: 2 (Cross advance), Foil feeding units: 3 (Longitudinal advance), Foil Stamping, Gripper Margin: 8-17 mm, Heating System, Heating Zones: 20, Heavy Duty, Max. Die Cutting Pressure: 260 Tons, Max. Die cutting size: 1055 x 750mm, Max. Foil advance: 800mm, Max. Foil Roll Diameter: 200mm (Cross advance), Max. Foil Roll Diameter: 250mm (Longitudinal advance), Max. Foil stamping size: 1050 x 745mm, Max. Foil Stamping Speed: 6500 strokes per hour, Max. Paper size: 1060 x 760mm, Max. Speed: 7500 strokes per hour, Min. Paper size: 400 x 350mm, Paper thickness: 100-2000 gsm, Pneumatic flap for test sheet removal, Pre-loader, Programmable foil advance, Pull or Push side lay on both sides, Step-less speed control, Suggested HS code: 8441.4000 (Automatic), Total Power: 21kw, Total Weight: 21 Tons, Voltage: 220V 3PH 60Hz.	2017		Please Call
7452	Yoco	JY-106	Die Cutter 2018 Yoco JY-106, S/N: 9007, Features: Air clutch, Central Lubrication, Corrugated board up to 4mm, Delivery Pile Height 1350 mm, Die Cutting Precision: +/- 0.1mm, Feeding Pile Height: 1600mm, Gripper Margin: 9-17 mm, Max. Die Cutting Pressure: 300 Tons, Max. Speed: 7500 strokes per hour, Total Power: 21kw, Total Weight: 17 Tons.	2018		Please Call

DIGITAL PRESS

ID	Make	Model	Features	Year	Imp. Circa	Price
7476	HP	7600	Digital Press 2013 HP 7600, S/N: 45000320, Features: 4 color: CMYK, Auto Alert Agent, Binary Ink Developers (BIDs), Blanket, Charge roller, Coated paper weight: 55 lb text to 130 lb cover, Dryer, Enables use of white ink, Expanded color capabilities, Feeder: Four drawers, High-speed laser writing head, HP IndiChrome 6-color on-press printing, HP IndiChrome Plus 7-color on-press printing, HP SmartStream Production Pro Print Server, HP SmartStream Ultra Print Server, Imaging oil recycling system, Impression cylinder, Line screens: 144, 160, 175, 180, 180m lpi, Max. image size: 12.48 x 18.26, Max. sheet size: 13 x 19, Pantone capability: Mixed via HP IndiChrome inks, Photo Imaging Plate (PIP), Press weight: 7300 lb, Printing speed: 120 four-color 8.5 x 11 in pages per min (two-up), Printing speed: 160 8.5 x 11 in color pages per min in EPM (two-up), Printing speed: 240 two-color or monochrome 8.5 x 11 in pages per min (two-up), Proof tray with 2.36 in stack height (600 sheets of 80 lb text), Special effect inks: Light black, light cyan, light magenta, white, transparent, Standard 4-color printing: Cyan, magenta, yellow, and black, Uncoated paper weight: 40 lb text to 130 lb cover;.	2013	329	Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

DRILL

ID	Make	Model	Features	Year	Imp. Circa	Price
6770	Challenge	Century	Drill 2000 Challenge Century, S/N: 64345, Features: Floor model, Motorized head, One head, Semiautomatic.	2000		Please Call

FOIL STAMPING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7436	Royo Machinery	RFL-380	Foil Stamping Machine 2023 Royo Machinery RFL-380, S/N: FL-380.103.228, Features: Dimensions: 660 x 740 x 480mm, Laminating width: 380mm, Power supply: 110V/220V 50Hz/60Hz, Total power: 1600W, Weight: 45 kg.	2023		Please Call
7434	Royo Machinery	RFP-30H+	Foil Stamping Machine 2023 Royo Machinery RFP-30H+, S/N: FP-30H+.000.135, Features: Dimensions: 680 x 510 x 290 mm, Entry Thickness: 30mm, Printing Length: 250mm, Printing Speed: 20-50mm/s adjustable, Printing Width: 300mm, Resolution: 300dpi x 300dpi, Weight: 24 kg.	2023		Please Call

FOLDER

ID	Make	Model	Features	Year	Imp. Circa	Price
7267	Baum	714	Folder 2005 Baum 714, S/N: 86-D-211, Features: Air feed, Quick set, Table top, Two plates.	2005		Please Call
6763	MBO	T-49 / 4	Folder 1992 MBO T-49 / 4, S/N: P2/08, Features: 1st Unit - 4 plate folds, Air feed, Belt delivery, Combo rollers, Control box, Counter, Pile feeder, Quick Set.	1992		Please Call
6486	Stahl	KD-78 4KZ	Folder 2002 Stahl KD-78 4KZ, S/N: 125434-274020, Features: 32 Page Section, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Digital knife folder, Noise hoods on all stations, Parallel + 3 knives, Pre-slitter shaft, Quick Set, SBP Stacker, Zero Speed Folding Plate Deflectors.	2002		Please Call
6250	Stahl	B-23 / 44	Folder 2008 Stahl B-23 / 44, S/N: 123RI0007, Features: 1 right angle, 1st Unit - 4 plate folds, 2nd Unit - 4 Plate folds, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Parallel Section, Pre-slitter shaft, Quick Set, Slit/Score/Perforate in parallel section, Zero Speed Folding Plate Deflectors.	2008		Please Call

FORKLIFT

ID	Make	Model	Features	Year	Imp. Circa	Price
7559	Hyster	S120XLS	Forklift 2004 Hyster S120XLS, S/N: D004V09598S, Features: Cushion Tires, Lowered Mast/Lift Height: 81" - 90", Max. Fork Height: 160", Paper roll clamp, Propane, Side Shift, Truck Weight: 18600 lbs.	2004		Please Call
7047	Hyster	S50FT	Forklift 2011 Hyster S50FT, S/N: F187V18129J, Features: 3 Stage mast, Max. Capacity:	2011		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

4000 lb, Propane, Side Shift.

7019	Yale	GLC040	Forklift 1999 Yale GLC040, S/N: A809N07514W, Features: Double Low Mast, Fork length: 38", Maximum Mast/Lift Height: Over 83", Side Shift.	1999	5780	Please Call
----------------------	------	--------	---	------	------	-------------

LAMINATOR

ID	Make	Model	Features	Year	Imp. Circa	Price
7398	Royo Machinery	RL-540B	Laminator 2022 Royo Machinery RL-540B, S/N: 22092702, Features: Dimensions: 1270 x 970 x 1400 mm, Laminating Speed: 0-15m/min, Max. Paper Width: 540mm, Paper thickness: 105-500 gsm, Total Power: 3kw, Total Weight: 230kg.	2022		Please Call

LASER CUTTING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
6906	Royo Machinery	RHM 1310	Laser Cutting Machine 2020 Royo Machinery RHM 1310, S/N: HM-U1310W4200370, Features: Dimensions: 1850 x 1500 x 1000 mm, Engraving speed: 0-6400mm/min, Graphic format supported: DXF DWD JPEG PCX AI TIFF PLT CDR BMP GIF, Laser power: 120 W, Minimum size lettering: 1mm, Processing Area: 1300 x 1000 mm, Repositioning accuracy: +/-10%, Resolution ratio: 0.25mm, Rotary head, Weight: 260 kg.	2020		Please Call

NUMBERING

ID	Make	Model	Features	Year	Imp. Circa	Price
6760	Standard	SRN	Numbering 2004 Standard SRN, S/N: 063322GFAM, Features: Dimensions: 52-3/4" x 30-3/4" x 41-1/2", Maximum Cycle Speed: 1-4 Heads - 9000 5-6 Heads - 5000 7-8 Heads - 4000, Maximum Number of Heads: 8 Heads (7 Parallel or 5 Convex Per Collar), Sheet Size: 18" x 18" Maximum, Sheet Thickness: 13lb Carbonless - 7 Part Carbonless Set, Voltage: 220/240V Single Phase 60 Hz, Weight: 357 lbs.	2004		Please Call

PAPER BAG MAKING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7408	Royo Machinery	RHY-270	Paper Bag Making Machine 2021 Royo Machinery RHY-270, S/N: 001210, Features: Dimensions: 8500 x 1800 x 1900 mm, Max. Paper Roll Diameter: 1200mm, Max. Paper Roll Width: 900mm, Paper Bag Length: 120-400 mm, Paper thickness: 30-100 gsm, Plastic Film: Up to 400 mm, Plastic width: up to 210 mm, Precision: +/-0.2mm, Printed image register system, Side folding: 0-100 mm, Speed: 150-400 pcs/min, Total Power: 16Kw, V bottom bag making machine, Weight: 5500 Kg, Window Film Applicator.	2021	0	Please Call
7400	Royo Machinery	RSBR-330	Paper Bag Making Machine 2021 Royo Machinery RSBR-330, S/N: 001212, Features: Cardboard inner reinforcement applicator, Cutting Length: 270-500 mm, D-Cut handle inline die cutting, Dimensions: 8800 x 2600 x 1900 mm, Max. Paper Roll Diameter: 1500mm, Max.	2021		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

Paper Roll Width: 1050mm, Maximum Speed: 150 pcs/min, Paper Bag Length: 225-450 mm, Paper Bag Width: 230-450 mm, Paper thickness: 80-160 gsm, Printed image register system, Square bottom bag making machine, Total Power: 15kw, Weight: 9000 Kg, Width of Bag Bottom: 80-180 mm.

PAPER CUP MAKING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7538	Royo Machinery	RD-80	Paper Cup Making Machine 2023 Royo Machinery RD-80, S/N: Pending, Features: Automatic oil lubrication, Machine size (L*W*H): 2500 x 1500 x 1800 mm, Material: Single or double PE coated paper, Material: 150-380 gsm single or double PE coated paper, Min. Air pressure: 60-90 psi - Air output: 3.5-11 ft3/min, Multi-cup collector with chute delivery, Open Cam, Power supply: 380V, 50Hz, Power: 8KW, Sensor detection system, Speed: 70-90 pcs/minute, Total Weight: 2600 KG, Ultrasonic welding.	2023		Please Call

PAPER CUTTER

ID	Make	Model	Features	Year	Imp. Circa	Price
7500	Polar	115 E	Paper Cutter 2000 Polar 115 E, S/N: 7131044, Features: Air table, Automatic, Chrome Tables, Digital programming, LCD color display, Safety lights, Side tables, Spare blades.	2000	NA	Please Call
7383	Polar	137 ED	Paper Cutter 2000 Polar 137 ED, S/N: 7041631, Features: Air table, Automatic, Autotrim, Chrome Tables, Digital programming, Jogger, LCD display, Loading System, Pile Lift, Safety lights, Side tables, Spare blades.	2000		Please Call
7109	Saber	S115	Paper Cutter 2001 Saber S115, S/N: 61601, Features: Automatic, Floor Stand, Green CRT Monitor, Safety lights.	2001		Please Call
7064	Wohlenberg	115 MCS-3TV	Paper Cutter 1988 Wohlenberg 115 MCS-3TV, S/N: 3270-014, Features: Air on the Side Tables, Air table, Automatic, Digital programming, LCD color display, Safety lights.	1988		Please Call
6700	Wohlenberg	76 SPM	Paper Cutter 1988 Wohlenberg 76 SPM, S/N: 3511-012, Features: Air on the Side Tables, Automatic, Digital programming, Hydraulic clamp and knife, LCD color display, Safety lights.	1988		Please Call

PAPER PORTION CUP MAKING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7371	Royo Machinery	RDGT-BE	Paper Portion Cup Making Machine 2022 Royo Machinery RDGT-BE, S/N: 20221002, Features: Air pressure: 0.6 mpa, Dimension: 1350 (length) x 900 (width) x 1850 (height), Power supply: 220V 50Hz or follow the request, Production speed: 20-30pcs/min (single), Row material: Greaseproof paper, PET coated paper and so on, Suitable paper weight: 80-130g or 100-300g, Total power: 2.5 kw, Weight: 1000 kg.	2022		Please Call

PAPER ROPE HANDLE MAKING MACHINE

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

ID	Make	Model	Features	Year	Imp. Circa	Price
7402	Royo Machinery	RCMHM-100	Paper Rope Handle Making Machine 2021 Royo Machinery RCMHM-100, S/N: CMHM-100-1, Features: Belt delivery for manual inserting and gluing, Diameter of paper rope: 3-4mm, Dimensions: 3000 x 2300 x 1900mm, Hotmelt gluing, Max. handle height (A+B): 110-190mm, Paper patch length (C): 190mm 160mm 130mm, Paper patch width (B): 35-45mm, Paper Weight: 80-140 gsm, Rope spacing range (D): 88mm, Speed: 200-300 pcs/minute, Total Power: 4.8kw, Weight: 2000kg.	2021		Please Call

PAPER ROPE WINDING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7406	Royo Machinery	RCMFJ-6	Paper Rope Winding Machine 2021 Royo Machinery RCMFJ-6, S/N: CMFJ-6-1, Features: Diameter of coiled Rope: 400mm, Machine Dimensions: 1200x800x1000mm, Output: 20-50 m/min, Rope Diameter: 2-5mm, Total Power: 1.5kw, Voltage: 220 Voltios 1 Fase 60 Hz, Weight: 300kg.	2021		Please Call

PERFORATOR

ID	Make	Model	Features	Year	Imp. Circa	Price
6769	Rosback	223A	Perforator 2000 Rosback 223A, S/N: 67826, Features: .	2000		Please Call

PLATE PROCESSOR

ID	Make	Model	Features	Year	Imp. Circa	Price
7061	Agfa	Elantrix 95 SX	Plate processor 2014 Agfa Elantrix 95 SX, S/N: AK11464B, Features: Automatic container alarm, Emergency stop.	2014		Please Call

PUNCH

ID	Make	Model	Features	Year	Imp. Circa	Price
6729	GBC	MHP-17	Punch 2004 GBC MHP-17, S/N: 4683S1298, Features: 230V 60Hz single phase, Dimensions: 44.5 x 46.5 x 28.5 inches, Interchangeable punching dies, Punch Capacity: .008", Up to 17 inches on the bind edge, Weight: 250kg / 550lbs.	2004		Please Call

ROLL FED DIE CUTTER

ID	Make	Model	Features	Year	Imp. Circa	Price
7536	Royo Machinery	RPY-950	Roll Fed Die Cutter 2023 Royo Machinery RPY-950, S/N: Pending, Features: Dimensions (LxWxH): 4200 x 2100 x 1850 mm, Material thickness: 100-800 gsm, Max. Die Cutting	2023		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

Pressure: 350 Tons, Max. Die cutting size 950 x 540 mm, Max. Speed: 12000 strokes per hour, Maximum roll diameter: 1800 mm, Precision: +-0.10mm, Register mark sensor with color recognition, Total Power: 14.5kw, Weight 7t.

ROUND CORNERING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7084	Southworth Machine Co.	PUC	Round Cornering Machine 1980 Southworth Machine Co. PUC, S/N: 1232, Features: 4" Lift Capacity, Corner Sizes Handled: 1/8" to 5/8", Net Weight: 190 lbs, Table Depth: 24", Table Height: 36", Table Width: 20 1/4".	1980		Please Call

STITCHER

ID	Make	Model	Features	Year	Imp. Circa	Price
7087	Hohner	53A 3/4	Stitcher 1981 Hohner 53A 3/4, S/N: 4209, Features: Saddle or Flat, Single Head, Wire Stitcher.	1981		Please Call

STRAPPING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7236	Bunn	TP-202	Strapping Machine 2004 Bunn TP-202, S/N: 41283562, Features: Band tape auto adding, Electrical: 110V 60 Hz, Max. Package Size: Any size, Net Weight: 85 kg, Strap Tension: Adjustable from 15 to 45 kg, Strap width: 6 9 12 & 15 mm.	2004		Please Call
7388	Royo Machinery	RB-42	Strapping Machine 2022 Royo Machinery RB-42, S/N: B42.010.180 / B42S.000.118, Features: Auto and manual sealing mode, Band tape auto adding, Bundling tension: 5-20N (1N=0.1kgf), Dimensions: 560 x 300 x 495 mm, Film tape for optional stand: 30mm x 810 meters per roll, Jumbo roll paper band available, Max. strapping size: 15.7" x 7.9", Min. packing size: 100 x 30mm, Min. strapping size: 1.18" x 0.39", Net Weight: 71 lbs, Paper band available, Paper tape for optional stand: 30 mm x 650 meters per roll, Plastic film band available, Power supply: AC 220V - 200W, Power: 0.62 kW, Speed: 26 pcs/min, Standard Film Tape: (30mm x 150 M/roll) Thickness: 0.1mm, Standard Paper Tape: (30mm x 150M/roll) Thickness: 0.12mm, Strapper stand for jumbo roll (Optional), Tape width: 30 mm, Voltage: 115/220V 60Hz, Warm up time: less than 1 second.	2022		Please Call
7387	Royo Machinery	RB-42	Strapping Machine 2022 Royo Machinery RB-42, S/N: B42.010.181, Features: Auto and manual sealing mode, Band tape auto adding, Bundling tension: 5-20N (1N=0.1kgf), Dimensions: 560 x 300 x 495 mm, Film tape for optional stand: 30mm x 810 meters per roll, Jumbo roll paper band available, Max. strapping size: 15.7" x 7.9", Min. packing size: 100 x 30mm, Min. strapping size: 1.18" x 0.39", Net Weight: 71 lbs, Paper band available, Paper tape for optional stand: 30 mm x 650 meters per roll, Plastic film band available, Power supply: AC 220V - 200W, Power: 0.62 kW, Speed: 26 pcs/min, Standard Film Tape: (30mm x 150 M/roll) Thickness: 0.1mm, Standard Paper Tape: (30mm x 150M/roll) Thickness: 0.12mm,	2022		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

Strapper stand for jumbo roll (Optional), Tape width: 30 mm, Voltage: 115/220V 60Hz, Warm up time: less than 1 second.

TAPE APPLICATOR

ID	Make	Model	Features	Year	Imp. Circa	Price
7138	3M	39600	Tape Applicator 1999 3M 39600, S/N: 14610, Features: Adjustable Case Sealer, Top tape sealer.	1999		Please Call
7141	MARQ	HPE-NS	Tape Applicator 2008 MARQ HPE-NS, S/N: Q980073, Features: Adjustable Case Sealer, Bottom tape case erector, Box opener, Bundle stack hopper, Flap closer & sealer.	2008		Please Call

UV DRYER

ID	Make	Model	Features	Year	Imp. Circa	Price
7578	Royo Machinery	RUV-GG740	UV Dryer 2006 Royo Machinery RUV-GG740, S/N: Pending, Features: 29" width, Double lamp configuration, Max. Curing Speed: 90m/min, Tray delivery, UV Lamp 2x 6.5kw.	2006		Please Call

VACUUM PUMP

ID	Make	Model	Features	Year	Imp. Circa	Price
7316	Royo Machinery	RBVT-140	Vacuum Pump 2022 Royo Machinery RBVT-140, S/N: N2205011, Features: +/- 600mbar, 168 cubic meters per hour, 230/400V, 3 Phase, 9kw, Carbon Blades, Oil-free, One inlet - One outlet.	2022		Please Call
7319	Royo Machinery	RBVT-80	Vacuum Pump 2022 Royo Machinery RBVT-80, S/N: N2205108, Features: +/- 600mbar, 230/400V, 3 Phase, 4.8kw, 60Hz, 96 cubic meters per hour, Carbon Blades, Oil-free, One inlet - One outlet.	2022		Please Call

WIDE FLEXPRESS

ID	Make	Model	Features	Year	Imp. Circa	Price
7542	Royo Machinery	RYTB-41000	Wide Flexo Press 2023 Royo Machinery RYTB-41000, S/N: 20230726ZYY, Features: 3" air shafts for wind and unwind, Anilox roller range: 300-1000 LPI, Anilox ultrasonic cleaning machine (optional), Central lubrication, Ceramic anilox rollers, Corona treatment (optional), Drying system, Electronic tensioning control, Electronic web guide, Gear pitch: 1/16", Hot air dryer (one per 2 units), Materials: Film PVC OPP PE BOPP PE NY PET CPP Paper PP woven non-woven, Max. printing width: 37", Max. web width: 39.25", Number of colors: 4, Photopolymer thickness: 1.14 1.7 2.28 2.84 & 3.94mm, Plate mounting machine with camera (optional), Printing Length: 11.75-39.25", Recommended photopolymer thickness: 1.7 mm, Roll to Roll, Speed: 200-330ft/min, Suggested HS code: 8443.16.0090, UV Dryer (optional), Video inspection system (optional).	2023		Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

WINDOW PATCHING MACHINE

ID	Make	Model	Features	Year	Imp. Circa	Price
7419	Royo Machinery	RGK-1080T	Window Patching Machine 2021 Royo Machinery RGK-1080T, S/N: 2210227, Features: Cardboard Thickness: 200-500 GSM, Container required for transport: 20' GP, Corrugated board: up to 0.275", Dimensions: 197" x 125" x 69", Film thickness: 0.002" - 0.008", Gross Weight: 5000kg, Max. Film size: 16.4" x 11.8", Max. Paper Size: 42.5" x 25.6", Max. Working Speed: 8000-10000 sheets/hour, Min. Film size: 3.15" x 2.36", Min. Paper size: 5.5" x 5.5", Net Weight: 4000kg, Packaging Dimensions: 3.1 x 2.1 x 2.2m, Total Power: 9kw, Total Weight: 3000 kg.	2021	0	Please Call

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.