

ORIENTAL MACHINERY

Room 511 Building 4, Songshanhu Industrial Park
 Yanfa 5th Road, Dongguan City, Guangdong 523000 - China
 Phone: +1 (786) 713-0996
 web: www.orientalmachinery.com - email: orchid@orientalmachinery.com

Mar 2021 - Stock List

OFFSET PRESSES - 10 COLORS

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|-----------------------|--|------|------------|-------------|
| 6656 | Heidelberg | Speedmaster SM 102-10 | Offset Press 2006 Heidelberg Speedmaster SM 102-10, Perfector Location: Between 4 & 5, S/N: 547638, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket Wash, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chrome Plate, Blanket & Impression Cylinder, CP2000, Diagonal Register, Electronic sidelay control, Grafix powder spray, Heidelberg AirStar with CAN, Heidelberg CombiStar with CAN, High pile delivery, Non-stop delivery, Non-stop feeder, Pre-loader, Preset Plus Delivery, Preset Plus Feeder, S Module Delivery, Sheet Decurler, Silver Series Machine, Steel plate in delivery, Steel plate in feeder, Stream Feeder, Suction Tape on Feeder, Technotrans CombiStar CAN with AlcoSmart, Ultrasonic double sheet detector. | 2006 | 280 | Please Call |

OFFSET PRESSES - 6 COLORS

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|--------------------------|--|------|------------|-------------|
| 6655 | Heidelberg | Speedmaster SM 102-6 + L | Offset Press 2005 Heidelberg Speedmaster SM 102-6 + L, Perfector Location: Between 2 & 3, S/N: Pending, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Axis control, Bacher pin register on clamps, Chrome Plate, Blanket & Impression Cylinder, CP2000, Diagonal Register, Electronic sidelay control, Grafix powder spray, Heidelberg CombiStar with CAN, Heidelberg DryStar 2000 with CAN, High pile delivery, In-line coater, Ink temperature control, Non-stop feeder, Pre-loader, Preset, Preset Plus Delivery, Preset Plus Feeder, Silver Series Machine, Steel plate in delivery, Steel plate in feeder, Stream Feeder, Technotrans CombiStar CAN with AlcoSmart, Ultrasonic double sheet detector. | 2005 | 230 | Please Call |
| 6960 | Heidelberg | Speedmaster SM | Offset Press 1998 Heidelberg Speedmaster SM 102-6 + L, Perfector Location: Between 2 & 3, | 1998 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

102-6 + L S/N: Pending, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Chain delivery, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Electronic sidelay control, Grafix Alphatronic 400 powder spray, High pile delivery, In-line coater, IR Dryer, Non-stop delivery, Non-stop feeder, Pre-loader, Preset, Preset Feeder, Royse Refrigerated Recirculator, Sheet Decurler, Steel plate in delivery, Steel plate in feeder.

| | | | | | | |
|----------------------|------------|-----------------------------|--|------|-----|-------------|
| 6861 | Heidelberg | Speedmaster SM CD 102-6 + L | Offset Press 2007 Heidelberg Speedmaster SM CD 102-6 + L, S/N: Pending, Features: Air transfer system, Alcolor Vario Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chrome Plate, Blanket & Impression Cylinder, CP2000, Diagonal Register, Electronic sidelay control, Grafix powder spray, Heidelberg CombiStar with CAN, Heidelberg DryStar 2000 with CAN, Heidelberg DryStar IR Dryer, High pile delivery, Hot air knife, In-line coater, Ink temperature control, Non-stop delivery, Non-stop feeder, Pre-loader, Preset, Preset Feeder, Silver Series Machine, Steel plate in delivery, Steel plate in feeder, Stream Feeder, Technotrans Combistar, Ultrasonic double sheet detector. | 2007 | 170 | Please Call |
| 6316 | Heidelberg | Speedmaster SM 52-6 | Offset Press 1995 Heidelberg Speedmaster SM 52-6, Perfector Location: Between 1 & 2 and 2 & 3, S/N: 200061, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, CPC 1.04, CPTronic, Diagonal Register, Double sheet detector, Grafix powder spray, Low pile delivery, Non-stop delivery, Non-stop feeder, Preset, Preset Feeder, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator. | 1995 | 248 | Please Call |
| 6547 | Roland | R306 | Offset Press 1998 Roland R306, Perfector Location: Between 1 & 2 and 2 & 3, S/N: 73206, Features: 15,000 sph, Air drums, Air suction in feeder, CPL (Semi-auto plate loading), Diagonal Register, Double sheet detector, Edelman Recirculator Refrigerator, Grafix powder spray, High pile delivery, Mabeg feeder, Non-stop delivery, Pin register on clamps, Pneumatic sidelay, RCI 2 console with touch screen monitor, Rolandmatic, Sheet decurler. | 1998 | | Please Call |

OFFSET PRESSES - 5 COLORS

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|------------------------------|--|------|------------|-------------|
| 6724 | Heidelberg | Speedmaster SM CD 102-5 + LX | Offset Press 2009 Heidelberg Speedmaster SM CD 102-5 + LX, S/N: Pending, Features: 15,000 sph, Air transfer system, Alcolor Vario Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chrome Plate, Blanket & Impression Cylinder, Coater with Anilox roller, CP2000, Diagonal Register, Double sheet detector, Extended delivery, Heidelberg AirStar with CAN, Heidelberg CleanStar, Heidelberg DryStar 2000 with CAN, Heidelberg DryStar IR Dryer, Heidelberg Powder spray, High pile delivery, Hot air knife, In-line coater, Ink temperature control, Non-stop delivery with Logistics, Non-stop feeder, PowderStar spray unit, Pre-loader, Preset Plus Delivery, Preset Plus Feeder, Press Center with Wallscreen, Remote controlled oscillation, Steel plate in delivery, Steel plate in feeder, Stream Feeder, Suction Tape on Feeder, Technotrans CombiStar CAN with AlcoSmart, Ultrasonic double sheet detector. | 2009 | 225 | Please Call |
| 6934 | Heidelberg | Speedmaster SM | Offset Press 2008 Heidelberg Speedmaster SM 74-5, Perfector Location: Between 2 & 3, S/N: | 2008 | 62 | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

| | | | | | | |
|----------------------|------------|-------------------------|---|------|-------|-------------|
| | | 74-5 | DS100107, Features: 13,000 sph, Alcolor Dampening, Automatic Blanket and Roller Washer, Bacher pin register on clamps, C Format: 53 x 74 cm, CP2000, Diagonal Register, Easy Plate, Like new condition, Low pile delivery, Non-stop delivery, Preset, Preset Feeder, Press Control Panel on Delivery, Prinect Press Center, Silver Series Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector, Weko powder spray. | | | |
| 7025 | Heidelberg | Speedmaster SM 72 F + L | Offset Press 1989 Heidelberg Speedmaster SM 72 F + L, Perfector Location: Between 1 & 2, S/N: 528400, Features: 12,000 sph, Alcolor Dampening, Bacher pin register on clamps, Baldwin Refrigerated Recirculator, CPC 1.03, CPTronic, Double sheet detector, Grafix powder spray, High pile delivery, In-line coater, IR Dryer, Non-stop feeder, Powder Spray, Preset, Quick action plate clamps, Sheet Decurler, Stream Feeder. | 1989 | 178.7 | Please Call |
| 6849 | Komori | L 528 | Offset Press 2002 Komori L 528, S/N: Pending, Features: Color Console, Electronic double sheet detector, Electronic sidelay control, High pile delivery, Komori Monitoring System IV, Komorimatics, Non-stop delivery, Non-stop feeder, PQC console, Quick action plate clamps, Royse Refrigerated Recirculator, Sheet Decurler, Steel plate in delivery, Steel plate in feeder, Stream Feeder, Suction Tape on Feeder, Weko Powder Spray. | 2002 | 69 | Please Call |

OFFSET PRESSES - 4 COLORS

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|----------------------|---|------|------------|-------------|
| 6918 | Hamada | B452A | Offset Press 1999 Hamada B452A, S/N: BW-9C007, Features: 10,000 sph, Automatic Blanket and Roller Washer, Autoplate, Chain delivery, Double sheet detector, Hamadamatic Dampening, Royse Refrigerated Recirculator, Stream feeder. | 1999 | | Please Call |
| 6972 | Heidelberg | Speedmaster SM 102 V | Offset Press 1986 Heidelberg Speedmaster SM 102 V, Perfector Location: Between 2 & 3, S/N: 526-390, Features: 12,000 sph, Alcolor Dampening, Bacher pin register on clamps, Baldwin Refrigerated Recirculator, CPC 1.02, Double sheet detector, Grafix IR Dryer, Grafix powder spray, High pile delivery, Non-stop delivery, Non-stop feeder, Stream Feeder, Superblues. | 1986 | 93 | Please Call |
| 6989 | Heidelberg | Printmaster PM 74-4 | Offset Press 2006 Heidelberg Printmaster PM 74-4, S/N: 0.000.741.112, Features: 13,000 sph, Alcolor Dampening, Automatic Blanket and Roller Washer, Autoplate, Bacher pin register on clamps, Baldwin Refrigerated Recirculator, C Format: 53 x 74 cm, Chain delivery, Chrome Blanket Cylinders, Chrome Impression Cylinder, Classic center, CPTronic, Diagonal Register, Double sheet detector, Low pile delivery, Non-stop delivery, Powder Spray, Preset, Preset Feeder, Sheet Decurler, Stream Feeder. | 2006 | 78 | Please Call |
| 6917 | Heidelberg | Speedmaster SM 52-4 | Offset Press 2010 Heidelberg Speedmaster SM 52-4, S/N: GS000704, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Chromed plate cylinders, CP2000, Diagonal Register, Double sheet detector, Electronic sidelay control, Like new condition, Low pile delivery, Mediprint Spray Powder Unit, Non-stop delivery, Non-stop feeder, Preset, Preset Feeder, Prinect Image Control, Prinect Prepress Interface, Prinect Press Center, Sheet Decurler, Silver Series Machine, Straight Machine, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator. | 2010 | 12.5 | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

| | | | | | | |
|----------------------|------------|----------|---|------|----|-------------|
| 6728 | Heidelberg | GTO 52-4 | Offset Press 2003 Heidelberg GTO 52-4, S/N: 720695, Features: 11,000 sph, Bacher pin register on clamps, Classic center, DDS Dampening, Double sheet detector, Gearing for N&P, Like new condition, Low pile delivery, Plus Version, Powder Spray, Quick action plate clamps, Sheet Decurler. | 2003 | 82 | Please Call |
|----------------------|------------|----------|---|------|----|-------------|

OFFSET PRESSES - 2 COLORS

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|---------------------|---|------|------------|-------------|
| 6698 | Heidelberg | Speedmaster SM 52-2 | Offset Press 1997 Heidelberg Speedmaster SM 52-2, S/N: 201198, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Chain delivery, Diagonal Register, Double sheet detector, Gearing for N&P, Low pile delivery, Plus Version, Powder Spray, Preset, Royse Refrigerated Recirculator, Segmented ink blades, Stream Feeder, Suction Tape on Feeder. | 1997 | | Please Call |
| 7036 | Heidelberg | Speedmaster SM 52-2 | Offset Press 1997 Heidelberg Speedmaster SM 52-2, S/N: 200287, Features: 15,000 sph, Alcolor Dampening, Automatic Blanket, Roller and Impression Cylinder Wash, Autoplate, Bacher pin register on clamps, Diagonal Register, Double sheet detector, Low pile delivery, Plus Version, Powder Spray, Preset Feeder, Segmented ink blades, Stream Feeder, Suction Tape on Feeder, Technotrans Refrigerated Recirculator, Ultrasonic double sheet detector. | 1997 | | Please Call |
| 6758 | Heidelberg | QM 46-2 | Offset Press 2003 Heidelberg QM 46-2, S/N: 964308, Features: 10,000 sph, Airtech Quickspray, Automatic Blanket Wash, Autoplate, Bacher pin register on clamps, DDS Dampening, Double sheet detector, Low pile delivery, Single Sheet Feeder. | 2003 | | Please Call |
| 6391 | Roland | R202 | Offset Press 1993 Roland R202, S/N: 23729B, Features: 13,000 sph, 4 Delivery Gripper Bars, Air suction in feeder, Chrome blanket cylinder, Low pile delivery, Powder Spray, Quick action plate clamps, Recirculator Refrigerator, Rolandmatic, Stream feeder, Vacuum feed board. | 1993 | | Please Call |

CARTON STRIPPER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|---------|---|------|------------|-------------|
| 6735 | Royo Machinery | RM-2500 | Carton Stripper 2019 Royo Machinery RM-2500, S/N: Pending order, Features: Air consumption: 1.2 CFM, Air pressure: 0.62MPa, Dimensions: 530 x 175 x 255 mm, Net Weight: 3.7 kg, Power: 680 W, Stripping Rate: 2200 Rev/min. | 2019 | | Please Call |

COLLATOR

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|---------|---------|---|------|------------|-------------|
| 6762 | Horizon | VAC 100 | Collator 2005 Horizon VAC 100, S/N: Pending, Features: 10 Bins per tower, 7560 sets per hour - 20 bins, 9,000 sets per hour - 10 bins, Air feed, Delivery Conveyor LC200, FC-200A trimmer, Max. Cover Size - Manual Feed: 12.6" x 22.8", Max. Paper size: 14" x 20", Min. | 2005 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

Paper size: 4.75 x 5.8", PJ-77R jogger, Stitcher-Folder SPF-200A, Two towers, VAC 100a Collating Tower, VAC 100c Collating Tower.

CORRUGATED BOARD LAMINATOR

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|-----------|---|------|------------|-------------|
| 6536 | Royo Machinery | RFMZ-1300 | Corrugated Board Laminator 2001 Royo Machinery RFMZ-1300, S/N: NO PLATE FOUND, Features: Compression Unit, Corrugated Board Feeder, High Pile Feeder, Laminating tolerance: +/- 1.5mm, Max. sheet thickness: 8 mm, Weight of bottom sheet > 350 gsm or A/B/C/D/E/F Flute, Weight of top sheet: 200 - 450 gsm. | 2001 | | Please Call |

CTP

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|----------------|--|------|------------|-------------|
| 6759 | Heidelberg | Suprasetter 75 | CTP 2009 Heidelberg Suprasetter 75, S/N: PJ001159, Features: 24 Plates per hour, Aluminum thermal plates, Connection Kit and Cable, Includes RIP, processor and software, Max. plate size: 26.77" x 29.53", Min. plate size: 14.57" x 12.72", Plate thickness: 0.006" to 0.012", Resolution: 2400/2540 dpi, Thermal, Wash up unit. | 2009 | | Please Call |
| 6771 | Heidelberg | Prosetter 52 | CTP 2006 Heidelberg Prosetter 52, S/N: Pending order, Features: 12 Plates per hour, 30mW Laser, Connection Kit and Cable, Metashooter, Off line processor, Violet Blue Laser. | 2006 | | Please Call |

CUTTING PLOTTER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|--------------|---|------|------------|-------------|
| 7000 | Royo Machinery | RZCAM-S1209A | Cutting Plotter 2020 Royo Machinery RZCAM-S1209A, S/N: 20084RZCAM, Features: Accuracy: +/-0.1mm, Compatibility: AutoCAD, CorelDraw, Optitex, Shoemaster, RECAD, Gerber etc., Cutting Speed: Straight line up to 1500mm/sec, Cutting Thickness: 0.1-1.5mm (Max. 2mm), Dimensions: 1610 x 1330 x 1040 mm, File Format: Standard DXF, PLT and HPGL, Folding Carton Samplemaker, Functions: Full cut, kiss cut, half cut, drawing and marking, Machine Language: HP-GL and GP-GL, Material hold down: Via vacuum, Materials: Cardboard, paper, PP, plastic, EVA, magnetic, Motor & Transmission: Servo motor with guided rail and synchronous belt, Plotting Pen, Total Power: 1.1kW 220V 50/60Hz, Weight: 210 kg GW / 160 kg NW, Working area: 1200 x 900mm. | 2020 | | Please Call |

DIE CUTTER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------|-----------------|---|------|------------|-------------|
| 6765 | Rabolini | Imperia Model C | Die Cutter 1994 Rabolini Imperia Model C, S/N: PENDING, Features: Dimensions (LxWxH): 1890 x 1640 x 1320 mm, Foil feeding units: 4, Foil Stamping, Inner chase size: 79 x 107mm, Max. Paper size: 75 x 105mm, Max. Speed: 1300 strokes per hour, Total Weight: 5500 KG. | 1994 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

| | | | | | | |
|----------------------|----------------|-----------|---|------|--|-------------|
| 6866 | Royo Machinery | ML1300 | Die Cutter 2020 Royo Machinery ML1300, S/N: 799270, Features: CE Standard Machine, Central Lubrication, Dimensions: 2650 x 2100 x 2000 mm, Hand Feed, Heating System, Max. die cutting length: 45 meters, Max. Die cutting size 1280 x 920mm, Max. Speed: 1200 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 7.5kw, Total Weight: 6 Tons, Voltage: 220V 3PH 60Hz. | 2020 | | Please Call |
| 6846 | Royo Machinery | RDC-1060C | Die Cutter 2017 Royo Machinery RDC-1060C, S/N: -2-2, Features: Central Lubrication, Corrugated board up to 4mm, Delivery Pile Height 1,100 mm, Die Cutting Precision: +/- 0.1mm, Dimensions: 4990 x 2700 x 2060 mm, Feeding Pile Height: 1380mm, Max. Die Cutting Pressure: 250 Tons, Max. Die cutting size 1060 x 780mm, Max. Die cutting size 1070 x 790mm, Max. Speed: 8000 strokes per hour, Min. gripper margin: 5mm, Min. Paper size: 450 x 360mm, Paper thickness: 100-2000 gsm, Total Power: 18kw, Total Weight: 17 Tons, Voltage: 220V 3PH 60Hz. | 2017 | | Please Call |
| 6709 | Royo Machinery | RDC-800H | Die Cutter 2012 Royo Machinery RDC-800H, S/N: 1906-3-1, Features: Central Lubrication, Corrugated board up to 2mm, Delivery Pile Height: 1030mm, Die Cutting Precision: +/- 0.1mm, Dimensions: 4290 x 2330 x 1980 mm, Max. Die Cutting Pressure: 150 Tons, Max. Die cutting size 800 x 620mm, Paper thickness: 100-2000 gsm, Total Power: 13kw, Total Weight: 10 Tons, Voltage: 220V 3PH 60Hz. | 2012 | | Please Call |
| 6803 | Royo Machinery | ML1500 | Die Cutter 1999 Royo Machinery ML1500, S/N: 99-06, Features: CE Standard Machine, Central Lubrication, Dimensions: 2650 x 2100 x 2000 mm, Max. die cutting length: 4500 mm, Max. Speed: 1200 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 7.5kw, Voltage: 220V 3PH 60Hz. | 1999 | | Please Call |
| 6859 | Royo Machinery | ML750 | Die Cutter 2020 Royo Machinery ML750, S/N: 799272, Features: Central Lubrication, Dimensions: 1650 x 1400 x 1500 mm, Hand Feed, Max. die cutting length: 1500 mm, Max. Die cutting size: 750 x 520mm, Max. Speed: 1500 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 2.2kw, Total Weight: 2.2 Tons, Voltage: 220V 3PH 60Hz. | 2020 | | Please Call |
| 7001 | Royo Machinery | ML930 | Die Cutter 2020 Royo Machinery ML930, S/N: 798870, Features: Central Lubrication, Dimensions: 1750 x 1900 x 1700 mm, Hand Feed, Heating System, Heavy Duty, Max. die cutting length: 3000 mm, Max. Die cutting size 930 x 670mm, Max. Speed: 1400 strokes per hour, Paper thickness: 100-2000 gsm, Suitable paper 1-8 mm corrugated paper (including laminated), Total Power: 4kw, Total Weight: 3.5 Tons, Voltage: 220V 3PH 60Hz. | 2020 | | Please Call |

DRILL

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|-----------|---------|---|------|------------|-------------|
| 6770 | Challenge | Century | Drill 2000 Challenge Century, S/N: Pending, Features: Floor model, Motorized head, One head, Semiautomatic. | 2000 | | Please Call |

FOLDER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----|------|-------|----------|------|------------|-------|
|----|------|-------|----------|------|------------|-------|

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

| | | | | | | |
|----------------------|-------|-----------|--|------|--|-------------|
| 6763 | MBO | T-49 / 4 | Folder 1992 MBO T-49 / 4, S/N: P2/08, Features: 1st Unit - 4 plate folds, Air feed, Belt delivery, Combo rollers, Control box, Counter, Pile feeder, Quick Set. | 1992 | | Please Call |
| 6764 | MBO | T-49 / 4 | Folder 1992 MBO T-49 / 4, S/N: F7/64, Features: 1st Unit - 4 plate folds, Air feed, Belt delivery, Combo rollers, Control box, Counter, Pile feeder, Quick Set. | 1992 | | Please Call |
| 6250 | Stahl | B-23 / 44 | Folder 2008 Stahl B-23 / 44, S/N: 123RI0007, Features: 1 right angle, 1st Unit - 4 plate folds, 2nd Unit - 4 Plate folds, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Parallel Section, Pre-slitter shaft, Quick Set, Slit/Score/Perforate in parallel section, Zero Speed Folding Plate Deflectors. | 2008 | | Please Call |
| 6486 | Stahl | KD-78 4KZ | Folder 2002 Stahl KD-78 4KZ, S/N: 125434-274020, Features: 32 Page Section, Air feed, Belt delivery, Combo rollers, Continuous feeder, Counter, Digital knife folder, Noise hoods on all stations, Parallel + 3 knives, Pre-slitter shaft, Quick Set, SBP Stacker, Zero Speed Folding Plate Deflectors. | 2002 | | Please Call |

LASER CUTTING MACHINE

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|----------|---|------|------------|-------------|
| 6906 | Royo Machinery | RHM 1310 | Laser Cutting Machine 2020 Royo Machinery RHM 1310, S/N: HM-U1310W4200370, Features: Dimensions: 1850 x 1500 x 1000 mm, Engraving speed: 0-6400mm/min, Graphic format supported: DXF DWD JPEG PCX AI TIFF PLT CDR BMP GIF, Laser power: 120 W, Minimum size lettering: 1mm, Processing Area: 1300 x 1000 mm, Repositioning accuracy: +/-10%, Resolution ratio: 0.25mm, Rotary head, Weight: 260 kg. | 2020 | | Please Call |

NUMBERING

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------|-------|--|------|------------|-------------|
| 6760 | Standard | SRN | Numbering 2004 Standard SRN, S/N: 063322GFAM, Features: Dimensions: 52-3/4" x 30-3/4" x 41-1/2", Maximum Cycle Speed: 1-4 Heads - 9000, 5-6 Heads - 5000, 7-8 Heads - 4,000, Maximum Number of Heads: 8 Heads (7 Parallel or 5 Convex Per Collar), Sheet Size: 18" x 18" Maximum, Sheet Thickness: 13lb Carbonless - 7 Part Carbonless Set, Voltage: 220/240V, Single Phase, 60 Hz, Weight: 357 lbs. | 2004 | | Please Call |

PAPER CUP MAKING MACHINE

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|-----------|---|------|------------|-------------|
| 6752 | Royo Machinery | RZBJ-OC12 | Paper Cup Making Machine 2020 Royo Machinery RZBJ-OC12, S/N: QC20DC0324, Features: Air pressure: 0.4Mpa - Air Out-put:0.6m3/min, Cup Bottom Heating: Hot Air, Cup Bottom Knurling: Heater Knurling for single PE coated, Material: One-side or Two side PE coated paper, Open Cam, Paper Cup Size: 3-12 oz, Speed: 70-90 PCS/minute, 7oz stable 80pcs/minute, Suitable paper weight: 180-350 gsm, Total Weight: 2200 KG, Ultrasonic welding, Working Power: 15KW. | 2020 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

PAPER CUTTER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|-------------|---|------|------------|-------------|
| 6806 | Litong | 115 | Paper Cutter 2007 Litong 115, S/N: 07113602, Features: . | 2007 | | Please Call |
| 6789 | Polar | 115 EMC MON | Paper Cutter 1990 Polar 115 EMC MON, S/N: 6031668, Features: Air table, Automatic, Chrome Tables, Digital LED control panel, Digital programming, Safety lights, Side tables, Spare blades. | 1990 | | Please Call |
| 6757 | Polar | 78 E | Paper Cutter 1995 Polar 78 E, S/N: 6561248, Features: Air table, Automatic, Digital programming, LCD display, Safety lights, Side tables. | 1995 | | Please Call |
| 6260 | Schneider | 92 | Paper Cutter 1999 Schneider 92, S/N: 92040779, Features: Air Table, Automatic, Digital programming, Extra knives, Hydraulic clamp, Mechanical knife drive, Safety lights. | 1999 | | Please Call |
| 6700 | Wohlenberg | 76 SPM | Paper Cutter 1988 Wohlenberg 76 SPM, S/N: 3511-012, Features: Air on the Side Tables, Automatic, Digital programming, Hydraulic clamp and knife, LCD color display, Safety lights. | 1988 | | Please Call |

PERFECT BINDER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|--------|---|------|------------|-------------|
| 6731 | Horizon | BQ-270 | Perfect Binder 2012 Horizon BQ-270, S/N: 015003, Features: 1 Clamp, 500 Cycles per hour, Automatic cover feeder, Belt Delivery, Cover scoring, EVA, Holt melt spine gluing, Hot Melt, Max. book size: 12.6" x 12.6", Max. Cover Size - Auto Feed: 12.59" x 25.59", Milling station, Min. book size: 4.3" x 5.7", Min. Cover Size - Auto Feed: 5.71" x 10.24". | 2012 | | Please Call |
| 6439 | Muller Martini | Pony | Perfect Binder 1980 Muller Martini Pony, S/N: 4770/40, Features: Circular band, Clamps: 5, Cover feeder, Milling station, Spine Gluer. | 1980 | N/A | Please Call |
| 6732 | Muller Martini | Amigo | Perfect Binder 2000 Muller Martini Amigo, S/N: NN4985, Features: 1,500 Cycles per hour, Batch Counter, Circular band, Clamps: 4, Cover feeder, Double nipping station, Hand fed station, Hot Melt, Milling station, Side Gluer, Spine Gluer, Spine Preparation, Waste extractor. | 2000 | | Please Call |

PERFORATOR

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|---------|-------|---|------|------------|-------------|
| 6769 | Rosback | 223A | Perforator 2000 Rosback 223A, S/N: Pending, Features: . | 2000 | | Please Call |

PUNCH

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------|--------|---|------|------------|-------------|
| 6729 | GBC | MHP-17 | Punch 2004 GBC MHP-17, S/N: 4683S1298, Features: 230V, 60Hz, single phase, Dimensions: 44.5 x 46.5 x 28.5 inches, Interchangeable punching dies, Punch Capacity: .008", Up to 17 inches on the bind edge, Weight: 250kg / 550lbs. | 2004 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.

SHEET GLUER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|---------|---|------|------------|-------------|
| 6998 | Royo Machinery | RSJ-700 | Sheet Gluer 2020 Royo Machinery RSJ-700, S/N: RJS700-1, Features: Dimensions: 1180 x 530 x 950 mm, Max. gluing thickness: 80-3000 gsm, Max. gluing width: 670 mm, Max. speed: 23 meter/min, Net Weight: 100 kg, Power: 220V, 180W, Speed control: Stepless. | 2020 | | Please Call |

STITCHER

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|------------|-----------------|---|------|------------|-------------|
| 6500 | Heidelberg | Prosetter SF454 | Stitcher 2000 Heidelberg Prosetter SF454, S/N: SL341, Features: 2 head stitcher, 5,000 sph, 6 Pockets, Cover Feeder, Hand fed station, Three knife trimmer. | 2000 | | Please Call |
| 6761 | Interlake | P | Stitcher 1998 Interlake P, S/N: 2171, Features: Max. Capacity: 7/8", Saddle or Flat, Wire Stitcher. | 1998 | | Please Call |

VACUUM PUMP

| ID | Make | Model | Features | Year | Imp. Circa | Price |
|----------------------|----------------|----------|---|------|------------|-------------|
| 6505 | Royo Machinery | RBVT-80 | Vacuum Pump 2019 Royo Machinery RBVT-80, S/N: OD18042400401130, Features: +/- 600mbar, 230/400V, 3 Phase, 4.8kw, 60Hz, 96 cubic meters per hour, Carbon Blades, Oil-free, One inlet - One outlet. | 2019 | | Please Call |
| 6783 | Royo Machinery | RBVT-100 | Vacuum Pump 2019 Royo Machinery RBVT-100, S/N: N1911002, Features: +/- 600mbar, 120 cubic meters per hour, 230/400V, 3 Phase, 6.6kw, 60Hz, Carbon Blades, Oil-free, One inlet - One outlet. | 2019 | | Please Call |

All sale and purchase transactions are undertaken subject to our standard terms and conditions, a copy which is available upon request.

All prices shown in this list are subject to fluctuations in the currency exchange rate used to calculate the price in United States Dollars.